

96.08.28

Q-111

DISINFECTANT-CLEANER
SANITISER-FUNGICIDE
MILDEWSTAT-VIRUCIDE* DEODORIZER

READ THE LABEL BEFORE USING

CAUTION

POISON CORROSIVE

GUARANTEE:

Alkyl (40% C12; 50% C14; 10% C16)
dimethyl benzyl ammonium chloride.....0.720%
Octyl decyl dimethyl ammonium chloride.....0.540%
Dioctyl dimethyl ammonium chloride.....0.216%
Didecyl dimethyl ammonium chloride.....0.324%

REGISTRATION NO. 24663
PEST CONTROL PRODUCTS ACT

DIN 02059487

FOR HOSPITAL, FOOD
PROCESSING AND
INSTITUTIONAL USE ONLY

NET CONTENTS:

LOT:

C.P. INDUSTRIES LTD.
225 BLACK ST.,
FERGUS, ON
N1M 1A5

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE:

Apply Q-111 to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain and bedframes with a cloth, or mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

DISINFECTION: To disinfect hard non-porous surfaces, add 15.6 mL/L of water. Treated surfaces must remain wet for 10 minutes. Surfaces that will come in contact with food must be rinsed with potable water prior to use.

SANITIZING NON-FOOD CONTACT SURFACES: At 7.2 mL/L use level, 30 second contact time, Q-111 is an effective sanitiser on hard, porous and non-porous environmental surfaces.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

PRECAUTIONARY STATEMENTS:

KEEP OUT OF REACH OF CHILDREN. Danger - Corrosive to eyes. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control centre immediately.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace

the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))