

FRONT PANEL - ENGLISH

GREEN CROSS®

SEVIN* 50% SPRAY POWDER

DOMESTIC
INSECTICIDE

Helps protect flowers, fruits, vegetables and lawns against the
insects listed.

NET CONTENTS: 250 g, 500 g, 750 g, 1 kg

GUARANTEE:

Carbaryl 50%

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

REG. NO.: 9172
P.C.P. ACT

MONEY BACK GUARANTEE

Scotts Canada Ltd.
2000 Argentia Road
Plaza #5, Suite 101
Mississauga, Ontario
L5N 2R7

WARNING



POISON

BACK PANEL - ENGLISH

DIRECTIONS:

Remove child resistant cap with a coin or tool. Reapply cap after use.

FOR USE ON	TO CONTROL	APPLICATION		APPLICATION /TIMING
		GREEN CROSS® DIAL-A- SPRAY®*	COM- PRESSED AIR SPRAYER	
<p>Fruits: apple, peach, pear, plum, cherry, strawberry</p>	<p>Codling moth, leafroller, apple maggot, fruitworms, Oriental fruit moth, plum curculio, budmoth, cherry fruit fly, spittlebugs</p>	<p>Fill the container to the 120-240 mL mark with powder. Top up to the 600 mL mark with warm water. Stir or mix well. Set dial at 30 and spray foliage to the point where the spray drips from the leaves. This amount of product will produce 20 litres of dilute spray. For lesser requirements, keep dial at 30, add desired amount of powder then add water to a level 2-4 times higher than that of the powder (eg. if using 60-120 mL of powder, add water and mix until 300 mL level is reached).</p>	<p>Mix 6-12 mL/L water (2-4 tbsp. per gallon). Spray to wet leaves to the point where spray drips from leaves.</p>	<p>Apply at first sign of insects. Monitor insect activity and repeat sprays at 7-14 day intervals if necessary. DO NOT APPLY WITHIN 7 DAYS OF HARVEST OF AN EDIBLE CROP (14 DAYS FOR ALL LEAFY VEGETABLES).</p>
<p>Vegetables: asparagus, bean, beet, broccoli, brussels sprouts, cabbage, carrot, cauliflower, celery, Chinese cabbage, corn, cucumber, eggplant, kohlrabi, lettuce, melon, parsley, parsnip, pea, pepper, potato, pumpkin, radish, spinach, squash, tomato, turnip</p>	<p>Leafhoppers, flea beetles, Mexican bean beetle, Colorado potato beetle, corn earworm, corn borer, armyworm, cucumber beetles, tomato fruitworms and hornworms, imported cabbage worm, cabbage looper</p>	<p>Fill the container to the 120-240 mL mark with powder. Top up to the 600 mL mark with warm water. Stir or mix well. Set dial at 30 and spray foliage to the point where the spray drips from the leaves. This amount of product will produce 20 litres of dilute spray. For lesser requirements, keep dial at 30, add desired amount of powder then add water to a level 2-4 times higher than that of the powder (eg. if using 60-120 mL of powder, add water and mix until 300 mL level is reached).</p>	<p>Mix 6-12 mL/L water (2-4 tbsp. per gallon). Spray to wet leaves to the point where spray drips from leaves.</p>	<p>Apply at first sign of insects. Monitor insect activity and repeat sprays at 7-14 day intervals if necessary. DO NOT APPLY WITHIN 7 DAYS OF HARVEST OF AN EDIBLE CROP (14 DAYS FOR ALL LEAFY VEGETABLES).</p>

FOR USE ON	TO CONTROL	APPLICATION		APPLICATION /TIMING
		GREEN CROSS® DIAL-A-SPRAY®*	COM- PRESSED AIR SPRAYER	
Ornamentals and Shade Trees	Aphids, leaf eating beetles, leaf miners, leafroller, bagworm, cankerworm, tent caterpillar, spruce budworm, gypsy moth	Fill the container to the 120-240 mL mark with powder. Top up to the 600 mL mark with warm water. Stir or mix well. Set dial at 30 and spray foliage to the point where the spray drips from the leaves. This amount of product will produce 20 litres of dilute spray. For lesser requirements, keep dial at 30, add desired amount of powder then add water to a level 2-4 times higher than that of the powder (eg. if using 60-120 mL of powder, add water and mix until 300 mL level is reached).	Mix 6-12 mL/L water (2-4 tbsp./gal.). Spray to wet leaves to the point where spray drips from leaves.	Apply at first sign of insects. Monitor insect activity and repeat sprays at 7-14 day intervals if necessary.
Lawns	Earwigs, ants, millipedes, fleas, fall armyworms, leafhoppers, sowbugs, chinch bugs, sod webworms	To treat an area of 12 sq. metres (130 sq. ft.), fill the DIAL-A-SPRAY container to the 120-240 mL mark with powder. Top up to the 600 mL mark with warm water. Set dial at 30 and spray.	Mix 6-12 mL/L water to cover 0.6 sq. metres (1-2 tbsp./gal. to cover 30 sq. ft.).	Apply at first sign of insects. Monitor insect activity and repeat spray if necessary.

* The GREEN CROSS® DIAL-A-SPRAY® is a hose-end sprayer with various settings. The number of the setting refers to the mL of product being applied per litre of water. Please refer to the DIAL-A-SPRAY label for use and cleaning instructions.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Toxic to bees. Carbaryl may cause fruit thinning in apples if applied at petal fall or shortly thereafter. Phytotoxicity of young foliage is possible during damp periods. Do not use on Boston ivy or Virginia creeper. Harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Avoid skin contact. Wash thoroughly after handling.

FIRST AID:

If swallowed, induce vomiting. If in eyes, rinse with water. Call a doctor or a Poison Control Centre. If on skin, wash with plenty of soap and water. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL:

Do not reuse empty container. Dispose of empty container with household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

Web Site: www.greencrosscanada.com

® GREEN CROSS is a registered trademark of The Scotts Company, Scotts Canada Ltd. licensee

* SEVIN is a registered trademark of the Aventis Group

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.