

92.11.02

CLEAN CROP(R)

DIPHENOPROP 250

COMMERCIAL

WARNING POISON

READ THE LABEL BEFORE USING

REGISTRATION NO. 16980
PEST CONTROL PRODUCTS ACT

GUARANTEE:

2,4-D 117.5 g/L
Isomer specific
dichlorprop 125 g/L
(both present as the butoxyethanol esters)

NET: 1 L

UNITED AGRI PRODUCTS
R.R. #2
Dorchester, Ontario
N0L 1G5

1 Tablespoon = 15 mL

DIRECTIONS FOR USE

DIPHENOPROP 250: Is recommended for the control of woody and herbaceous plants growing along fence rows and around houses. Use the following table for the rate and time of application on each species.

	SUSCEPTIBLE SPECIES	HARD-TO-KILL SPECIES	TIME OF APPLICATION
PLANTS TO BE CONTROLLED	Hawthorn Poplar Wild Cherry Wild Plum Wild Raspberry	Hazel Balsam Fir Blueberry Willow Poison Ivy Alder Elderberry Hickory Hardhack	
DILUTION RATE foliar treatment	200 mL per 10 L of water	280 mL per 10 L of water	Late Spring or Early Summer
basal treatment	60 mL per 1 L of fuel oil	80 mL per 1 L of fuel oil	Anytime of the year

METHOD OF TREATMENT: Foliar Treatment - For best results, apply on the foliage and stems just before or just after brush is in full leaf. Many species may require retreatment the following year. Spray to thoroughly wet all foliage and stems to groundline.

Basal Treatment - To control hard-to-kill species, the diluted solution can be applied to the basal part of standing brush during any time of year.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or inhaled. Avoid contact with skin, eyes or clothing. Sprays and vapours may injure broadleaf crops such as vegetables, fruits and ornamentals. Use only for recommended purposes and at recommended rates. Do not use the spray equipment for other purposes. Keep in original container during storage. Do not contaminate water supplies, irrigation ditches, ponds, lakes or streams.

FIRST AID: If swallowed do not induce vomiting, but rush patient to nearest hospital, taking this labeled container with you. In case of skin contact, remove contaminated clothing and wash skin thoroughly with soap and water. If in eyes, flush with plenty of water for 15 minutes and take patient to hospital at once. This product contains petroleum distillates.

TOXICOLOGICAL INFORMATION: Symptoms of poisoning are - fatigue, nausea, vomiting and diarrhea. Diesel fuel is used as a solvent.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the spray

- mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
 3. Make the empty container unsuitable for further use.
 4. Dispose of the container in accordance with provincial requirements.
 5. For information on the disposal of unused, unwanted product and the clean-up of spills contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))