1998/2003

EMUL PLUS OIL/HUILE

READY TO USE INSECTICIDE

COMMERCIAL

KILLS FLIES, MOSQUITOES, GNATS.

FOR DAIRIES, PIGGERIES, POULTRY HOUSES AND BARNS.

REGISTRATION NO. 22942 PEST CONTROL PRODUCTS ACT

GUARANTEE:

PIPERONYL BUTOXIDE D-TRANS ALLETHRIN

1.0%

0.3%

READ LABEL BEFORE USING

NET CONTENTS 10 LITRES 18 LITRES

Notification Change

PLUS ENR. Plus 9021-7993 Inc 300, CHAPLEAU SAINT-HYACINTHE, (QUEBEC) J2S 7V9

DIRECTIONS:

Shake well before using. Close doors and windows and other openings and remove all animals from buildings before application. Apply with a mist fogger (non-thermal) or manual pump at a rate of 200 mL per 100 cubic metres. Wear a mask or respirator and protective clothing. Apply to cracks, crevices and wall surfaces. Direct spray upwards, towards ceilings and walls or straight on insects. Keep area closed for 10-20 minutes after fogging. Ventilate thoroughly before re-entering treated areas. Repeat as necessary. When using a mist fogger, the equipment must be maintained and operated in accordance with the

manufacturer's instruction manual.

NOTE:

Treatment should be made only before or after milking.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Not for use on animals or humans.

Apply only when the dairy is not in operation. Cover or remove all food processing surfaces, milk, utensils, and dairy processing equipment.

Avoid contamination of feed and water troughs. After spraying, wash all surfaces that may contact milk food and rinse thoroughly with potable water before re-using.

Thoroughly clean all food processing equipment with potable water before resuming operations. Avoid contact with skin. Do not inhale spray mist. Wash after using. Do not store near food water or litter. Keep in original container during storage. Store in a cool, well ventilated place. Do not use in areas where beekeeping equipment or supplies are being stored. Do not contaminate any body of water. Toxic to fish.

FIRST AID:

This product contains petroleum distillate; harmful if swallowed, inhaled or absorbed through skin. In case of poisoning, call a physician immediately. If on skin, remove contaminated clothing and wash skin thoroughly with soap and water. If in eyes, flush with water for 5-10 minutes and obtain medical attention. If swallowed, do not induce vomiting, but rush the patient to the nearest hospital or doctor's office, taking the pesticide container with you.

DISPOSAL:

Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))