

1999/2002

RIVIERA

LEISURE PRODUCTS

READ THE LABEL BEFORE USING

DOMESTIC

REG. NO. 23642.02 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

NO CHLORINE ODOR

BROMINATING TABLETS 24.5 g

Controls bacteria and algae in swimming pool waters

GUARANTEE:

1-Bromo-3-chloro-5, 5-Dimethyl Hydantoin.....95%

Provides: 31% Available Chlorine

Provides: 63% Available Bromine

DANGER CORROSIVE TO EYES

WARNING

POISON

CORROSIVE

2 Kg

NET CONTENTS

Riviera Leisure Products Ltd.
3017 St. Clair Ave.
Suite 343
Burlington, Ontario
L7N 3P5

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. DANGEROUS GAS FORMED WHEN MIXED WITH ACID. DO NOT MIX WITH ANY OTHER CHEMICAL. STRONG OXIDIZING AGENT. MAY CAUSE FIRE OR EXPLOSION IF CONTAMINATED. AVOID CONTACT WITH SKIN AND EYES. AVOID BREATHING DUST. HARMFUL IF SWALLOWED. KEEP CONTAINER CLOSED AND STORE IN A COOL DRY LOCATION. RINSE CONTAINER THOROUGHLY BEFORE DISCARDING. DO NOT REUSE.

DISPOSAL

For information on the disposal of unused, unwanted product, and the clean up of spills, contact your municipality, your provincial Ministry of Environment or the regional office of Environment Canada.

WARNING: DIRECT TABLET CONTACT MAY CAUSE BLEACHING OF VINYL OR PAINTED POOL SURFACES. AUTOMATIC FEEDING DEVICES EMPLOYING THESE TABLETS MUST BE TOTALLY FREE FROM TRACES OF OTHER POOL SANITIZERS TO AVOID THE PROBABILITY OF AN EXPLOSION.

FIRST AID: If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink one glass of milk or water.

Call a physician IMMEDIATELY.

DIRECTIONS FOR USE

RIVIERA BROMINATING TABLETS are unsafe and effective slow dissolving bactericide, algicide and disinfectant that, unlike other commonly used chemicals, performs well over a broad pH range. Use the dosages recommended below as a guide in determining the proper amount of RIVIERA BROMINATING TABLETS necessary to keep your pool sparkling clean and inviting. The dosage necessary for your pool will change considerably depending upon those factors that burden the disinfection system. Some of the factors that will vary the required dosages are water temperature, bather load, exposure to wind-blown debris, thunder or rain storms and length of filtration cycle.

SWIMMING POOLS: In newly filled pool, shock the pool if necessary. Follow directions for use on this label to establish an effective active bromine residual of between 1 and 3 ppm, pH 2.7 to 7.8, total alkalinity 100 - 150 ppm, and calcium hardness 200 - 300 ppm. Test water frequently using a reliable bromine test kit. Adjust the flow rate through the brominator if necessary, to maintain the active bromine residual. The

following dosages are provided as a general rule of thumb. Automatic brominators have used instructions peculiar to their design. Frequently a brominator must be filled to capacity - while the adjustments allow the user to erode only the amount of RIVIERA BROMINATING TABLETS necessary for proper sanitation as suggested below, the slow dissolving nature of the chemical combined with the design features of the brominator require that a greater amount of chemical be exposed to the water. For shocking purposes use a non-chlorine shock.

Add 1-2 RIVIERA BROMINATING tablets per 10,000 litres of pool water. Daily usage should approximate 25 g of RIVIERA BROMINATING TABLETS per 10,000 L of pool water to maintain a bromine residual of 1-3 ppm at all times. Apply weekly dosage through the use of an automatic brominator which will allow you to adjust the amount of bromine entering the water.

Each tablet weighs 24.5 grams

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))