

96.06.21

SLUYTER

INDUSTRIAL

DISINFECTANT CLEANER

CLEANER - DISINFECTANT - DEODORIZER - FUNGICIDE - MILDEWSTAT
SANITIZER WITH ORGANIC SOIL TOLERANCE

GUARANTEE

Didecyl dimethyl ammonium chloride..... 4.5%

REGISTRATION NO. 18346
PEST CONTROL PRODUCTS ACT

DIN 01998501

READ THE LABEL BEFORE USING

DANGER

POISON CORROSIVE

KEEP OUT OF REACH OF CHILDREN

See side panel for precautions

4 L 20 L

SLUYTER CHEMICAL LTD.
Markham, Ontario L3R 1G3

DIRECTIONS FOR USE

DISINFECTANT CLEANER is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide in the presence of moderate amounts of organic soil.

Apply DISINFECTANT CLEANER to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs,

countertops, sinks, and bedframes with a damp cloth, mop so as to thoroughly wet surfaces for 10 minutes. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when used solution becomes visibly dirty.

DISINFECTANT CLEANER: To disinfect hard, non-porous hospital surfaces, add 20 mL/L of water. At this use-level, DISINFECTANT CLEANER is also virucidal, fungicidal. At 10 mL/L DISINFECTANT CLEANER will disinfect hard non-porous surfaces in schools, industry and non-medical institutions.

For schools, non-medical institutional and industrial uses: At 10 mL/L water DISINFECTANT CLEANER delivers excellent cleaning and germicidal effectiveness. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Escherichia coli*.

DISINFECTANT CLEANER is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's food fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc.

Mildewstatic Performance - At 10 mL/L DISINFECTANT CLEANER will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated above). Allow to dry on surface and repeat weekly or when mildew growth returns.

For hospitals and nursing homes: At 20 mL/L of water, the broad spectrum activity of DISINFECTANT CLEANER has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use Dilution Test.

Pseudomonas aeruginosa, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia Coli*, *Klebsiella pneumonias*, *Enterobacter aerogenes*, *Salmonella schottmuelleri*, *Streptococcus faecalis*, *Shigella dysenterise*, *Brevibacterium ammoniagenes*.

Sanitizing Non-Food Contact Surfaces - (such as walls, floors, tables, etc): At 5.5 mL/L use level, DISINFECTANT CLEANER is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 5% serum on hard porous and non-porous environmental surfaces. Treated surfaces must remain wet for 30 seconds.

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions and industry. DISINFECTANT CLEANER is formulated for this problem area. It both cleans and disinfects effectively. Its hard surface disinfecting action will reduce the hazard of cross-

contamination.

DISINFECTANT CLEANER is an extremely effective sanitizer for non-food contact surfaces. It cleans and sanitizes in water up to 850 ppm hardness. This hard water tolerance is in excess of most potable waters and will insure complete sanitizing action when used as directed.

15 mL of DISINFECTANT CLEANER per L of water will deodorize surfaces in bathrooms, garbage, storage areas, and other areas where bacterial growth can cause mal odors, inhibits the growth of mold and mildew.

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

CONTAINER DISPOSAL

For information on the disposal of unused, unwanted product and the cleanup of spills contact the Provincial Regulatory Agency or the Manufacturer.

FIRST AID TREATMENT

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Centre immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

SLUYTER

INDUSTRIAL

DISINFECTANT CLEANER

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))