

15-JUL-1999

C-I-L

HOUSE & GARDEN INSECT KILLER

PRESSURIZED SPACE & CONTACT SPRAY

DOMESTIC

KILLS: Flying & Crawling Insects

INDOOR/OUTDOOR

GUARANTEE:

d-Trans Allethrin	0.25%
Piperonyl Butoxide Technical	1.00%

REGISTRATION NO. 24704 PEST CONTROL PRODUCTS ACT

350 g

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

CAUTION EXPLOSIVE

Nu-Gro IP Inc.
P.O. Box 1148
Woodstock, ON N4S 8P6

DIRECTIONS: SHAKE WELL BEFORE USING. Hold can upright while spraying.

TO KILL HOUSE PESTS:

Flying Insects: Flies, Mosquitoes, Wasps, Gnats and flying Moths. Close doors and windows. Direct mist upwards in sweeping motion to all parts of the room, especially windows and other light sources. Apply 6 to 10 seconds burst per 30 cubic metres of space. Whenever possible, keep doors and windows closed for 15 minutes after each treatment. Also direct mist into areas where insects are present. Keep spray at least 1 metre from interior wall, fabrics and furniture. Vacate treated area and ventilate room well after treatment.

Crawling Insects: Cockroaches, spiders, crickets, ants, carpet

beetles, centipedes and silverfish. Spray hiding places such as base boards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames, or in ant nests. Insects must be hit to be killed.

Bed Bugs: Spray mattress, particularly around seams and tufts. Take beds apart, spray all joints. Repeat as required.

Fleas: Spray sleeping quarters of pets. Change bedding if possible. DO NOT USE ON PETS.

TO KILL GARDEN PESTS: ON FLOWERS AND ORNAMENTALS

Sucking Insects: Exposed thrips, leaf-hoppers, spotted mites, lace bugs, aphids.

Chewing Insects: Caterpillars, climbing cutworms, Japanese Beetles.

For insects on Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Irises, Marigolds, Petunias, Roses, and Snapdragons, Evergreens, small Deciduous trees, Shrubs and Vines. Carefully spray with slow sweeping motion keeping 30 cm to 45 cm away from the plants to avoid wetting the foliage. A light spray kills pests effectively. Spray only when air is still and temperature is under 32°C. Do not spray in direct sunlight. Early morning or evening is preferred. Use with caution on young plants and new growth. Insects must be contacted by spray to be killed.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container, or store at temperatures over 50°C. DO NOT USE ON ANIMALS OR HUMANS. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwellings, remove or cover all exposed foods and cooking utensils before spraying. Avoid contact with skin, eyes, clothing. Avoid inhalation of spray. Wash after using. Keep from freezing. Do not use on Maiden Hair Ferns. Do not use on vegetable or fruit crops.

FIRST AID: Avoid inhalation or exposure of spray to eyes. In case of contact, flush with plenty of water. If irritation persists or if swallowed, obtain medical attention or call a physician or poison control centre at once.

DISPOSAL: When container is empty, press button to release all pressure. Do not throw into fire. Wrap and dispose in household garbage.

For additional product information or in case of emergency, spills or fire call toll-free 1-800-268-2806.

C-I-L is a trademark of Zeneca Corp. Wilson Laboratories Inc. is a licensed user. 996.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.