

22-JAN-1997

SANEX

BROMONE
MEAL BAIT

ONE FEEDING KILLS RATS AND MICE

COMMERCIAL

READ THE LABEL BEFORE USING

NET CONTENTS:

REGISTRATION NO. 15678

PEST CONTROL PRODUCTS ACT

GUARANTEE:

BROMADIOLONE..... 0.005%

WARNING POISON

SANEX AGRO INC.
36 HEAD ST.
DUNDAS, ONTARIO
L9H 3H3

KILLS: Rats (Norway, Roof) resistant to warfarin and pindone anticoagulant rodenticides.

AREAS OF USE: For areas not directly related to food processing: Use only in non-food or non-feed areas where food, food packaging and handling equipment are never opened or exposed.

For areas where feed or food is processed, served or stored: In meat and food processing plants (processing areas) use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse of the plant (processing areas include storage and service).

GENERAL BAIT PLACEMENT DIRECTIONS: Place baits near living and feeding areas and water supplies...behind boards next to walls, in rat holes, between walls or other protected areas. Replace baits that are contaminated, spoiled or not fresh. Replenish bait supply as long as there is evidence of rodent population. Bromone bait bags are designed so that they can be placed unopened as a protective bait station. Rodents will open them due to the flavours and fragrance of the bag.

FOR RATS: Each station should contain a least 120 g of bait, however smaller bait placements of 30-60 g may be used when more placements are made to efficiently feed the rat population present. Maintain constant supply of bait at stations for at least 10 days. ONE DAY FEEDING WILL ACHIEVE CONTROL when the baiting treatment utilizes a sufficient number of placements that have been consumed by rats. Control will be evident, however, only in the following days.

FOR MICE: 10-15 g of bait should be placed at 3 to 4 metre intervals. And uninterrupted supply of bait should be maintained for at least 15 days.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC ANIMALS AND WILDLIFE. Keep away from feed or foodstuffs. Harmful if swallowed or absorbed through the skin. This product should be handled with gloves. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face with soap and water after handling and before eating or smoking. Protect bait against access of children, pets, livestock, and wildlife, preferably by using bait stations or tamper-resistant boxes. This product is toxic to fish and wildlife. The use of anticoagulant formulations can present a significant hazard to predatory mammals and birds through secondary poisoning. Do not contaminate water by cleaning equipment or disposal of wastes. Keep out of lakes, streams or ponds.

FIRST AID: If in eyes, flush with plenty of water for 15 minutes. If on skin, wash thoroughly with soap and water. If swallowed, give patient one or two glasses of water and induce vomiting by touching back of the throat with a finger or blunt object. Repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION: If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. Vitamin K1 in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant

poisoning. The severity of the case, measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

DISPOSAL: Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))