

98/2003

LONZA  
FORMULATION  
R-82F

CLEANER SANITIZER  
FUNGICIDE - DISINFECTANT  
MILDEWSTAT-VIRUCIDE\*  
DEODORIZER

For use in Hospitals, Institutions, Food  
Processing and  
Industrial Environments

Effective in hard water up to 400 ppm hardness (calculated  
as CaCO<sub>3</sub>) in the presence of 5% serum contamination.

COMMERCIAL

GUARANTEE:

Alkyl (40% C12, 50% C14, 10% C16) dimethyl	
benzyl ammonium chloride.....	8.680%
Octyl decyl dimethyl ammonium chloride.....	6.510%
Dioctyl dimethyl ammonium chloride.....	2.604%
Didecyl dimethyl ammonium chloride.....	3.906%

WARNING

POISON

CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 23270

PEST CONTROL PRODUCTS ACT

DIN

NET CONTENTS: L

Manufactured by:  
LONZA INC.,  
17-17 ROUTE 208,  
FAIR LAWN, N.J. 07410

Canadian Agent:  
CANADA COLORS & CHEMICALS  
80 SCARSDALE ROAD, DON MILLS,  
ONTARIO M3B 2R7

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. LONZA FORMULATION R-82F has been formulated to aid in the reduction of cross-contamination in the areas. LONZA FORMULATION R-82F is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal and will prevent the growth of mold and mildew and their odors when used as directed.

When used as directed. LONZA FORMULATION R-82F will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas and other places where bacterial growth can cause malodors.

#### DIRECTIONS FOR USE:

LONZA FORMULATION R-82F is a proven "one-step" disinfectant-cleaner-sanitizer-fungicide-mildewstat-virucide which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination.

Apply LONZA FORMULATION R-82F to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth, or mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

DISINFECTION - to disinfect hard non-porous surfaces, add 4 mL/L of water. Treated surfaces must remain wet for 10 minutes. At this use level. LONZA FORMULATION R-82F is also virucidal and fungicidal. At this dilution, all surfaces on which this product is used and which come in contact with food, are to be rinsed with potable water. 4 mL/L Use-Level: The broad spectrum activity of LONZA FORMULATION R-82F has been evaluated and found to be effective against the following organisms by the AOAC Use-Dilution test:

Pseudomonas aeruginosa  
Salmonella choleraesuis

Staphylococcus aureus  
Escherichia coli

Streptococcus pyogenes	Klebsiella pneumoniae
Enterobacter aerogenes	Salmonella schottmuelleri
Streptococcus faecalis	Shigella dysenteriae
Brevibacterium ammoniagenes	Salmonella typhi

SANITIZING - to sanitize pre-cleaned, non-porous food contact surfaces and utensils immerse in a 1.0 mL per 1 L (150 ppm) solution of R-82F for at least 60 seconds. Allow to air dry. Do not rinse. For equipment and utensils too large to sanitize by immersion, apply a 2.0 mL per 1 L solution of R-82F (300 ppm) by rinsing, squirting or swabbing until thoroughly wetted. Allow surface to drain and air dry. Do not rinse. Wash hands thoroughly with soap and water after handling.

AOAC Fungicidal Test: LONZA FORMULATION R-82F is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc.

Mold and Mildew Control - at 4 mL/L LONZA FORMULATION R-82F will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general cleaning instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance: at 4 mL/L use-level, LONZA FORMULATION R-82F was evaluated and found to be effective against the Influenza A/Brazil Virus on inanimate environmental surfaces.

Sanitizing - Non-Food Contact Surfaces (such as floors, walls, tables, etc.): at 1 mL/L use-level, LONZA FORMULATION R-82F is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae on hard non-porous environmental surfaces.

Instructions for Cleaning and Decontaminating Against HIV-1 on Surfaces and Objects Soiled with Blood or Bodily Fluids: This product is effective against HIV-1 (Human Immunodeficiency Virus) in the presence of organic soil (5% blood serum)

Personal Protection: When handling items soiled with blood or bodily fluids, wear disposable latex gloves, gowns, masks, and eye coverings. Cleaning Procedure: Thoroughly clean blood or bodily fluids from surfaces before applying "Formulation R-82F". Contact Time: To kill HIV-1, apply "Formulation R-82F" at 4 mL per litres of water and allow surface to remain wet for 10 minutes. Disposal of Infectious Material: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. DANGER - CORROSIVE TO EYES. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

FIRST-AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control centre immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Triple or pressure rinse the empty container. Add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the Manufacturer or the Provincial Regulatory Agency. Contact the Manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

CONTAINS: Surfactant and sequestrant.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

08SEPT99

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )