

05-JUL-1999

ZODIAC®

SPOT ON™

Flea & Tick Control for Dogs

Over 14 kg (30 lbs.)

Kills adult fleas and ticks

Easy to use; spreads through the natural
motion of the animal

When necessary, apply once a month

DO NOT USE ON CATS

Apply to Two Spots for

Head to Tail Flea & Tick Control

DOMESTIC

GUARANTEE:

Permethrin 45%

REG. NO. 25920 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

3 Months Supply

Net Contents: 3 tubes x 2 ML each

3 MONTH SUPPLY

FIRST MONTH

SECOND MONTH

THIRD MONTH

ZODIAC® SPOT™ ON for Dogs Over 14 kg (30 lbs)

FLEA & TICK CONTROL FOR DOGS

GENERAL INFORMATION:

ZODIAC® SPOT ON™ kills fleas and ticks for 21 Days. It is most effective when used as part of a total program aimed at reducing fleas and ticks in the dog's environment. For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, furniture, etc. (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persists, an insecticidal premise treatment (e.g. ZODIAC® Premise Sprays) may be required.

DIRECTIONS FOR USE:

DO NOT USE THIS PRODUCT ON CATS. This product is packaged in single dosage tubes. This package contains three monthly 2 mL dosages.

Remove one applicator tube from package and hold in an upright position. Simply twist cap to break the seal of the tube. Remove cap carefully. Position the tip of the tube on the dog's back between the shoulder blades and squeeze out half the contents of the tube. Invert the applicator tube upright and go to the dog's tail. Position the tip of the tube at the base of the tail and apply the remaining contents of the tube to the dog's rump near the base of the dog's tail. Reapply once a month, if necessary.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contact with eyes. After using, wash hands with soap and water.

DO NOT USE ON CATS. Do not use near fish. Consult a veterinarian before using on pregnant animals, sick animals or animals under drug or other pesticide treatment. Do not use on nursing animals or animals under 12 weeks of age. Discontinue use if adverse effects are observed. If condition persists, consult your veterinarian.

FIRST AID:

IF SWALLOWED, do not induce vomiting. Call a physician or Poison Control Centre immediately. IF IN EYES, flush with plenty of water. If irritation persists, get medical attention. IF ON SKIN, wash affected area with soap and

water. If irritation persists, get medical attention.

STORAGE AND DISPOSAL: Store in a cool, dry place away from food and out of the reach of children. Do not reuse empty container. Wrap empty container and discard with household garbage.

For more information, call our flea & tick Hotline at 1-800-688-7378 (9 am-5 pm E.S.T.).

Wellmark International
5420 Highway #6 North
Suite B30, R.R. #5
Guelph, Ontario
N1H 6J2

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))