

2001/2006

**Raid®
Max**

**WASP & HORNET
BUG KILLER**

Pressurized Contact and Residual Spray
DOMESTIC

READ THE LABEL BEFORE USING
KEEP OUT OF THE REACH OF CHILDREN

GUARANTEE:

Pyrethrins	0.050%
Piperonyl Butoxide	0.100%
N-Octyl Bicycloheptene Dicarboximide	0.166%
Propoxur	0.500%

REG. NO. 23299.04 P.C.P. ACT
CONTAINER MAY EXPLODE IF HEATED

500g

DANGER

EXTREMELY FLAMMABLE
EXPLOSIVE

**SC Johnson
A FAMILY COMPANY**

DIRECTIONS: For the control of wasps, bees, hornets, and yellow jackets. Remove protective cap and point the nozzle in the direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2-2.5 metres (6-8 feet). To prevent insects from falling on skin or clothes, do not stand directly under nest. Allow sufficient time for the insects to become dead or moribund. Application to wasps' nests should be made in late evening or early morning (if possible) when insects are at rest.

LIMITATIONS: Do NOT use inside homes, on humans or animals. Do NOT use as a space spray.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if

swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Keep children and pets away from treated area until surfaces are dry and insects are dead. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50EC as container may burst. Do not puncture or incinerate container. DO NOT USE IN THE PRESENCE OF AN OPEN FLAME OR SPARK.

FIRST AID: If on skin, wash immediately with soap and warm water. If in eyes, flush with clean water for 15 minutes; call a physician. If ingested, DO NOT induce vomiting. Contact a physician or poison control centre immediately. Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention.

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, then dispose in household garbage. Do not puncture or incinerate. Questions? Comments? Call 800-558-5566 or write Helen Johnson. ©Can. Trade Mark Reg'd to S.C. Johnson & Son, Inc. Auth'd user **S.C. JOHNSON AND SON, LIMITED** Brantford, Ont., Canada N3T 5R1. Visit us at **www.bugfreeliving.com**

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))