

98.06.25

COMMERCIAL

FOR USE ONLY BY PEST CONTROL OPERATORS TO CONTROL COCKROACHES,  
ANTS, SILVERFISH, FIREBRATS, CRICKETS AND SPIDERS.

KILLMASTER II

A RESIDUAL ACTION INSECTICIDE

Registered Trade Mark, Positive Formulators, Inc.

GUARANTEE:

CHLORPYRIFOS.....2%

PROTECT FROM FREEZING

READ THE LABEL AND ATTACHED LEAFLET BEFORE USING

REGISTRATION NUMBER 19715

PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

POISON

FLAMMABLE

CAUTION

FIRST AID

IF SWALLOWED: Do not induce vomiting. Call physician, or  
poison control centre.

IF ON SKIN: Immediately wash with soap and water.

IF IN EYES: Immediately flush eyes with plenty of water  
and get attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Net Contents: 3.785 Litres

Manufactured by:  
POSITIVE FORMULATORS, INC.  
1044 N. Jerrie Avenue.  
Tucson, Arizona 85711  
USA

KILLMASTER II Insecticide  
For Control of Cockroaches, Ants,  
Silverfish, Firebrats, Crickets and Spiders.

GENERAL INFORMATION:

KILLMASTER II insecticide is a ready-to-use, slow release formulation. Do not dilute with water, oil or other products. KILLMASTER II is to be used for spot treatment only. Apply by paintbrush except where injection may be necessary for crack and crevice treatment.

USE DIRECTIONS:

KILLMASTER II insecticide controls cockroaches, ants, silverfish, firebrats, crickets and spiders in areas of, but not limited to residential, institutional and commercial buildings, including homes, apartment buildings, hospitals, stores and warehouses, freight cars, storage bins, ships and boats. Apply undiluted KILLMASTER II in a continuous barrier with a 5 to 10 cm paintbrush, roller or handled sponge applicator, along baseboards and around all doorways, windows and other entrances of the premises, and to localized areas where these pests are found or normally occur, including dark corners of rooms and closets, expansion seams, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators, shelves and cabinets, around plumbing and other utility installations. Crack and crevice treatment is to be made using equipment capable of delivering a pin stream of insecticide. These methods are intended to kill insects as they move to and from food sources.

Do NOT use as a space spray.

DO NOT CONTAMINATE FOODSTUFFS. Do not use in any area where food may be exposed. Do not use in bulk food storage areas. Do not use in cupboards where food or cooking utensils are stored.

KILLMASTER II applied on exposed glass, glazed tile, metal or other non-porous surfaces may dry leaving a light film. If removal is desired, reapply to surfaces with KILLMASTER II, lacquer thinner or like solvents and wipe clean with a dry cloth. KILLMASTER II is a slow-release formulation. After 36 hours treated areas may be washed or cleaned. Painting over the treated areas, however, will eliminate its effectiveness. This product will not stain or mar most clean surfaces, but if in doubt, treat a small test area prior to complete application.

IN HOMES OR DWELLINGS, OR HOSPITALS, remove or cover all exposed food and cooking utensils before application. Thoroughly wash all surfaces that might contact food before reuse. Do not use in nurseries or rooms where infants, ill or aged persons are confined.

IN MEAT AND FOOD PROCESSING PLANTS AND FOOD SERVICE ESTABLISHMENTS, (places other than private residences in which food is held, processed, prepared or served) including restaurants, grocery stores, bakeries, bottling plants, meat and food processing plants, canneries and grain mills: treat only when plant or facility is NOT in operation. Remove or cover all food packaging materials, and utensils and cover all food processing surfaces before application. After treatment, wash all surfaces that may contact food and rinse thoroughly with potable water before resuming operations. Do not use in rooms where milk is processed, handled or stored.

IN FOOD SERVICE AREAS (facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held). Apply undiluted KILLMASTER II as a spot treatment with a paintbrush to selected surfaces such as baseboards or into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when facility is in operation or foods are exposed.

IN NON-FOOD AREAS (includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage rooms). Apply KILLMASTER II to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

IN FOOD WAREHOUSES, GROCERY STORES AND FOOD STORAGE AREAS, do not apply to food or food packages. Warehouses should be banded at wall/floor joints and on floors along aisles and around pallets and other designated storage areas. Do not treat bins, boxcars, ships holds or other bulk food storage areas that may be directly contacted by food. Use only in a manner and in areas so as not to contaminate food.

Apply undiluted KILLMASTER II in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housings and junctions or switch boxes where roaches, ants or silverfish hide. De-energize electrical equipment before KILLMASTER II application. After application,

allow time for solvent to evaporate before starting motors or placing switches in "ON" position.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT IS NOT PERMITTED.

SPECIAL USE DIRECTIONS:

KILLMASTER II may be applied as a spot treatment utilizing a coarse low pressure (10 PSI or less) spray in 15 to 20 cm bands (enough to wet only, avoid runoff) around building foundations and spider nesting areas. Applicator must wear protective clothing and assure that humans and pets are not in the immediate vicinity. Avoid spraying over or around vegetation as solvent will damage or kill plantings.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through the skin. May cause eye and skin irritation. Avoid contact with skin, eyes and clothing. Do not allow humans or pets to come in contact with treated surfaces until dry. Wear rubberized gloves during application. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs, and domestic water supplies. Keep container closed. Vapours may be toxic. Insure adequate ventilation during and for several hours after application. Do not use, pour, spill or store near heat or open flame.

CAUTION: WHEN TREATING COMMERCIAL FOOD HANDLING FACILITIES, REMOVE FOOD AND FOOD PREPARATION EQUIPMENT. INSURE ADEQUATE VENTILATION DURING AND FOR SEVERAL HOURS AFTER APPLICATION TO PREVENT FOODS FROM ABSORBING SOLVENT ODOUR. DO NOT APPLY AROUND REFRIGERATOR DOORS--KEEP CLOSED DURING TREATMENT. DO NOT APPLY TO ASBESTOS SHINGLES OR TO VINYL-ASBESTOS FLOOR COVERING AS STAINING WILL OCCUR.

Do not apply to exposed glass or to aluminum surfaces. KILLMASTER II may cause blistering of areas freshly painted with lacquers, enamels, or oil-based paints unless these finishes are completely cured. If in doubt, treat a small obscure area and wait 15 minutes. If surface has not blistered or raised, then proceed with treatment.

FIRST AID:

Product contains Petroleum Distillate. If swallowed DO NOT induce vomiting. Obtain medical attention immediately taking the

pesticide container with you, or call poison control center. If on skin, remove contaminated clothing and wash skin thoroughly with soap and water. If in eyes, flush with water for 5 to 10 minutes and obtain medical attention.

TOXICOLOGICAL INFORMATION:

Chlorpyrifos is a cholinesterase inhibitor. Atropine is antidotal. Obtain medical attention immediately, taking the pesticide container with you.

ENVIRONMENTAL HAZARDS:

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. This product is toxic to fish, wildlife and birds. Keep out of any body of water.

CONTAINER DISPOSAL AND DECONTAMINATION:

Do not reuse empty container. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use and dispose in accordance with provincial requirements.

For information on the disposal of unused, unwanted product and the cleanup of spills contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )