

2002/2007

TRAVIS CHEMICALS T-352

ANTIMICROBIAL

A MICROBIOCIDIC FOR USE IN CONTROLLING SULFATE REDUCING BACTERIA AND SLIME FORMING BACTERIA IN OIL WELL DRILLING, OIL FIELD PROCESSING APPLICATIONS, AND OIL FIELD WATER SYSTEMS SUCH AS STREAM INJECTION WATER HOLDING TANKS, FLOOD WATER, INJECTION WATER, HOLDING POND WATER, DISPOSAL WELL WATER, AND WATER HOLDING TANKS.

REGISTRATION NO. 22698

PEST CONTROL PRODUCTS ACT

GUARANTEE:

Active Ingredient Glutaraldehyde.....25%

COMMERCIAL

DANGER
CORROSIVE

READ THE LABEL BEFORE USING

20 Litres, 21.2 kg
Net Contents 202 Litres, 214.5 kg

~~TRAVIS CHEMICALS
19th Floor, First Alberta Place,
777 - 8th Ave. S.W.
Calgary, Alberta,
T2P 3R5~~

BRENNTAG CANADA INC.
43 Jutland Road
Toronto, ON M8Z 2G6

Notification Change

TRAVIS is a trademark of Travis Chemicals Inc.

IN CASE OF EMERGENCY, TELEPHONE (24 HOURS PER DAY)
CALL COLLECT (403) 263-8660
CANUTEC (24 HOUR EMERGENCY) (613) 996-6666

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
DANGER
KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes irreversible eye damage. Causes skin burns

Harmful if inhaled. Harmful if swallowed. Harmful if absorbed through skin. May cause skin sensitization.

Do not get in eyes, on skin, on clothing. Avoid breathing vapor. Do not swallow.

Wear goggles, protective clothing, and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID INSTRUCTIONS

IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Get immediate medical attention.

IF ON SKIN: Immediately wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove to fresh air. If breathing is difficult, administer oxygen. If symptoms persist, call a physician.

IF SWALLOWED: DO NOT INDUCE VOMITING. Do not give anything to drink. Seek medical advice with urgency.

TOXICOLOGICAL INFORMATION

Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment side.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills, recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

STORAGE AND HANDLING

TRAVIS T-352 solutions are corrosive in many commonly used materials of construction such as steel, galvanized iron, aluminum, tin and zinc. These solutions can be stored and handled in baked phenolic lined steel, polyethylene, steel, or reinforced epoxy-plastic equipment. This product freezes at

about minus 10'C.

Therefore, unless the storage tank is inside or underground, heating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month), temperatures of up to 38'C can be tolerated but the preferred maximum storage temperature is about 27'C.

A stainless steel centrifugal pump is suggested for transfer service. Spiral wound stainless steel with TEFLON is suitable for gaskets and packing.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE WATER FLOODS

TRAVIS T-352 Antimicrobial should be added to a water flood system at a point of uniform mixing such as the area of addition of make up water to the holding tank.

Initial Treatment: When the system is noticeably contaminated, add 100-200 ppm Active Glutaraldehyde (180mL-360 mL TRAVIS T-352 Antimicrobial per 1000L flood water). Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 20-100 ppm Active Glutaraldehyde (36mL - 180mL TRAVIS T-352 Antimicrobial per 1000L flood water) weekly, or as needed to maintain control.

DRILLING MUDS

TRAVIS T-352 Antimicrobial should be added to drilling fluid system at a point of uniform mixing such as the circulating mud tank.

Initial Treatment: Add 50 - 1000 ppm Active Glutaraldehyde (1.44-28.8L TRAVIS T-352 Antimicrobial per 100 barrels of fluid) to freshly prepared drilling fluid, depending on the severity of contaminator.

Maintenance Dosage: As the total volume of the system increases due to increased well depths, maintain 50 - 1000 ppm Active Glutaraldehyde (1.44 - 28.8L of TRAVIS T-352 Antimicrobial per 100 barrels of additional fluid), or as needed, depending on the severity of contamination.

COMPLETION AND WORKOVER FLUIDS

TRAVIS T-352 Antimicrobial should be added to a completion and workover fluid at a point of uniform mixing such as a circulating tank. Add 50 - 1000 ppm Active Glutaraldehyde (1.44 - 28.8L TRAVIS T-352 Antimicrobial per 100 barrels of fluid) to freshly prepared fluid, depending on the severity of contamination. Circulate the workover fluid system until the fluid returns clear, shut the system down and idle for several hours. Remove the workover fluid. The well should be ready for productive use.

PACKER FLUIDS

TRAVIS T-352 Antimicrobial should be added to a packer fluid at a point of uniform mixing such as a circulating holding tank. Add 50 - 600 ppm Active Glutaraldehyde (1.44 - 28.8L TRAVIS T-352 per 100 barrels of fluid) to a freshly prepared fluid, depending on the severity of contamination. Seal the treated packer fluid in the wall between the casing and production tube.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))