

28-OCT-1997

dispar

NET CONTENTS:

340 GM (3 X 113 GM)

TRAP-N-A-SAK (TM) II
BAR BAIT

RODENTICIDE

KILLS RATS AND MICE

DOMESTIC

Moisture resistant

Kills Norway rats, roof rats
and house mice in wet or dry areas.

GUARANTEE:

DIPHACINONE 0.005%

REG. NO. 24003 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

READ LABEL BEFORE USING.

DISPAR

division of VETOQUINOL CANADA INC.
Lavaltrie, QC Canada J0K 1H0

(TM) Registered trademark

INDICATIONS: For control of Norway rats (*Rattus norvegicus*), roof rats (*Rattus rattus*) and house mice (*Mus musculus*) in and around homes. This product is especially suited for use in wet or damp areas. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not apply bait directly to ground surface or in grass or other ground cover.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice

will most likely find and consume the bait. Generally these are along wall, by gnawed openings, in or beside burrows, in corners and concealed places between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much alternative food as possible. Bait should be placed in locations not accessible to children, pets, wildlife or domestic animals, or in a tamper-resistant bait station.

DIRECTIONS: Each TRAP-N-A-SAK II BAR BAIT consists of a 113 g block scored so that it can be broken into four 28.25 g pieces.

RATS: Apply 1-4 (113 g to 452 g) TRAP-N-A-SAK II BAR BAIT per placement (usually at intervals of 5 to 10 metres). Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE: Break TRAP-N-A-SAK BAR BAIT into four pieces of equal size (28.25 g) and place one piece at each placement location. Space placement at 2 to 4 metre intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait according to local requirements. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC ANIMALS AND WILDLIFE. If swallowed, this material may reduce the clotting of the blood and cause bleeding. Keep out of lakes, streams or ponds. Keep away from feed or food stuff. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after handling and before eating or smoking.

FIRST AID: If swallowed, give patient one to two glasses of water and induce vomiting by touching back of throat with a finger or blunt object; repeat until vomit fluid is clear. Call a physician or a Poison Control Centre. If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. Do not give anything by mouth to unconscious person.

TOXICOLOGICAL INFORMATION: Vitamin K1 in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.), will determine appropriate therapy.

Monitoring P.T. will indicate the necessity of repeated treatments.

LIMITATION OF WARRANTY:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in garbage.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))