

17-MAR-2004 Notification received of label changes. See below for these changes.

2001/2002

**Later's
LATOX
Systemic Insect Killer**

For flowers, shrubs, ornamental
trees and evergreens.

READ THE LABEL BEFORE USING

DOMESTIC

GUARANTEE:

oxydemeton-methyl	5%
carbaryl	5%
dicofol	2%

REG. NO. 14027 P.C.P. ACT

DANGER POISON

500 mL
250mL

Notification Change

~~Later Chemicals Ltd.
12080 Horseshoe Way
Richmond, B.C.
V7A 4V5~~

Nu-Gro IP Inc
10 Craig Street
Brantford, ON N3R 7J1

DIRECTIONS:

Later's Latox Systemic Insect Killer is absorbed by the leaves and enters into plant sap. The best time to apply is early morning or late evening. Avoid spraying when the temperature is above 27EC., or if high humidity prevails during the heat of the day. Begin application when insects first appear.

DO NOT USE ON FOOD CROPS, Chrysanthemums, Boston Ivy, Mock Orange, Chinese Elm, and Hawthorn. Do not spray seedlings and new growth. Do not use inside buildings.

1 Teaspoon = 5 mL

1 Tablespoon = 15 mL

1 L = approx. 1 quart

FOR USE ON	TO CONTROL
Azalea, Boxelder, Camellia, Dogwood, Evergreens, Gardenia, Hibiscus, Lilac, Privet, Roses and Shade trees.	Aphids, Caterpillars, Mites (rust and spider), Thrips (exposed), Armyworms, Diabrotica Beetles, Earwigs, Elm Leaf Beetles, Flea Beetles, Grasshoppers, Lace Bugs, Boxelder Bugs, Leafhoppers, Leafminers, Leafrollers, Mealy Bugs, Plant Bugs, Psyllids, Sawfly Larvae, Scale (crawlers), Spittle Bugs, Sowbugs, Whiteflies, Woolly Aphids, Rose Chafers.

HOW TO USE:

Mix 6 mL of **Later's Latox** in 1 L of water and spray plants and both sides of leaves thoroughly. Repeat after two weeks if problem persists.

For use around Homes, Lawns, Patios and Garbage Cans mix 10 mL of **Later's Latox** in 1 L of water to control Clover Mites, Ants, Black Widow Spiders, Crickets, Sowbugs, Earwigs, Boxelder Bugs. Do not use inside the house.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Keep children and pets away from treated areas, at least until spray has dried. Avoid inhalation. Do not get in eyes, on skin or clothing. May be absorbed through the skin. Keep away from open flame and heat. Avoid contamination of feeds and foodstuffs. Do not spray on painted surfaces as staining or discolouration may occur. Rinse sprayer thoroughly after use. Do not store diluted spray, make a new dilution for each spray.

ENVIRONMENTAL HAZARDS: Do not contaminate lakes, ponds, streams. For protection of honey bees, avoid the use during periods when bees are visiting plants.

FIRST AID: IF SWALLOWED, do NOT induce vomiting. Contains petroleum distillates. Contact a doctor or a poison control centre immediately. IF IN EYES, flush with water for 15 minutes and get medical attention. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with soap and water.

TOXICOLOGICAL INFORMATION: Product contains cholinesterase inhibitors. Atropine and 2-PAM is antidotal.

STORAGE: Keep product in original container. Store in a cool, dry place away from food.

DISPOSAL: Do not re-use container. Rinse thoroughly and use rinse-water with regular spray. Wrap container and dispose of in regular garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes any risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))