

2000/2005

Suma bac

DISINFECTANT-NO RINSE SANITIZER-DEODORIZER
VIRUCIDE-MILDEWSTAT

(on hard, inanimate surfaces)
Disinfectant/Sanitizer designed specifically
for hospitals, restaurants, bars, and other
institutional and industrial uses.

COMMERCIAL

READ THE LABEL BEFORE USING

DIN # 02167700

REGISTRATION NO. 24172
PEST CONTROL PRODUCTS ACT

GUARANTEE:

N-Alkyl (5% C12, 60% C14, 30% C16, 5% C18)
dimethyl benzyl ammonium chloride.....5.0%
N-Alkyl (68% C12, 32% C14)
dimethyl ethyl benzyl ammonium chloride.....5.0%

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. WARNING: Skin and eye irritant. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with undiluted product. Avoid contamination of food. Do not store in food processing or food storage areas.

FIRST AID: If in contact with eyes or skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink two or three glasses of milk or water. Call a physician or poison control center immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage.

Net Contents: 4L

LOT #: _____
EXPIRY DATE: _____

Lever Industrial
1151 Green Valley Road
London, Ontario N6A 4C2

UPC
70128 90025

Suma bac

SUMA BAC is designed specifically for hospitals, food processing plants, dairies, restaurants, bars, and institutions where disinfection, sanitization and deodorization is of prime importance. When used as directed, this product is formulated to disinfect pre-cleaned inanimate, hard surfaces such as walls, floors, sink tops, tables, chairs, and bed frames.

This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, pet areas and any other areas which are prone to odors caused by microorganisms.

DIRECTIONS FOR USE: DISINFECTION - To disinfect pre-cleaned, inanimate, hard surfaces apply SUMA BAC with mop, cloth, sponge, or coarse (trigger) spray so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. Prepare a fresh solution for each use.

GENERAL DISINFECTION - Add 18 mL of this product per 4 litres of water for disinfection against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Listeria monocytogenes*, and *Yersinia enterocolitica*.

HOSPITAL DISINFECTION - Add 22 mL of this product per 4 litres of water for disinfection against *Pseudomonas aeruginosa*.

ALL TREATED EQUIPMENT THAT WILL CONTACT FEED OR DRINKING WATER MUST BE RINSED WITH POTABLE WATER BEFORE REUSE.

VIRUCIDAL ACTIVITY - SUMA BAC, when used on pre-cleaned environmental inanimate hard surfaces at 22 mL per 4 litres of water exhibits effective virucidal activity against Influenza A2/Japan (representative of the common flu virus), Herpes Simplex Type 1

(causative agent of fever blisters), Adenovirus type 5 (causative agent of upper respiratory infections), Vaccinia virus (representative of the pox virus group), and Avian influenza A/Turkey/Wisconsin (causative agent of an acute avian lower respiratory tract infection).

DEODORIZATION - To deodorize, apply SUMA BAC as indicated under the heading GENERAL DISINFECTION.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces, add 23 mL of SUMA BAC per litre of water. Apply solution with a cloth, mop or sponge, making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

SANITIZATION - For use in restaurants, dairies, food processing plants, and bars. When used as directed SUMA BAC is an effective sanitizer against Escherichia coli, Yersinia enterocolitica, and Staphylococcus aureus. Remove all gross food particles and soil from areas which are to be sanitized with good detergent, pre-flush, pre-soak, or pre-scrape treatment. Rinse with a potable water rinse.

To sanitize pre-cleaned and potable water-rinsed, non-porous, food contact surfaces, prepare a 200 ppm active quaternary solution by adding 8 mL of SUMA BAC to 4 litres of water. To sanitize immobile items such as tanks, chopping block and counter tops, flood the area with 200 ppm active quaternary solution for at least 60 seconds, making sure to wet all surfaces completely. Remove, drain the used solution from the surface and air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

To sanitize mobile items such as drinking glasses and eating utensils, immerse in a 200 ppm active quaternary solution for at least 60 seconds making sure to immerse completely. Remove, drain the used solution from the surface and air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

When used for sanitization of previously cleaned food equipment or food contact items, limit the active quaternary to 200 ppm. NO POTABLE WATER RINSE IS REQUIRED. SUMA BAC is an effective sanitizer when diluted in water up to 750 ppm hardness (CaCO₃).

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.

3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. For small spills, recover free liquid. Soap up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN NO. 4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))