

88.09.15

DOMESTIC

4 L

WILSON

CRABGRASS
KILLER

GUARANTEE:

Arsenic, as elemental
(Present as dodecyl and octyl ammonium
methyl arsonate) 4%

READ THE LABEL BEFORE USING

KILLS CRABGRASS
IN LAWNS AFTER IT APPEARS
WITHOUT HARMING LAWN GRASSES

REG. NO. 12099 P.C.P. ACT

LABORATORIES WILSON INC.
DUNDAS, ONTARIO L9H 3H3

DIRECTIONS FOR USE:

Be sure soil is moist for 2 days before each treatment. During dry spells, water thoroughly before making applications. Resume keeping soil moist a day or two after application, especially during hot, dry weather.

For best results, spray in early summer when crabgrass is in seedling stage with light green, wide tapered leaves. Young crabgrass may require only 1 application. Mature plants require re-application after 5 to 7 days. Apply with a hose-end sprayer or tank sprayer using a coarse spray pattern to wet foliage thoroughly. Repeat treatment if crabgrass appears again later in the season or if rain falls within 4 hours of spraying.

Rate: For young plants (in June) mix 225 mL 15 tablespoonfuls) in 20 litres of water to treat 100 square metres.

For mature plants in normal weather, mix 500 mL in 20 litres of water to treat 100 square meters. When the temperature is above 30'C, use the rate for young plants.

Do not treat newly seeded lawns until after three mowings. Bent or fescue grass may be temporarily discoloured. May damage other weed grasses such as poa annua (annual bluegrass). Do not apply to ornamentals, flowers, fruits and vegetables.

PRECAUTIONS:

Keep out of reach of children. Keep pets and livestock off treated areas. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Avoid contamination of food or feed. Do not contaminate ponds, lakes or streams. Wash thoroughly after use. Keep from freezing. Keep in original container. Mix only as much spray as can be used at one time.

FIRST AID:

If swallowed, induce vomiting and get medical attention. If on skin, wash with soap and water, If in eyes, flush with plenty of water and call a doctor.

TOXICOLOGY INFORMATION:

BAL (Dimercaprol) is a specific antidote for chronic as well as acute poisoning.

RINSE, WRAP AND DISPOSE OF EMPTY CONTAINER WITH REGULAR GARBAGE.

CODE 206

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this

service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))