EMPIRE

COMMERCIAL

SWAT

Space and Contact Insecticide - For use as a Dairy Cattle Spray

Ready To Use Solution

Kills and repels horse flies, face flies, stable flies, horn flies, lice, ticks, house flies, mosquitoes, and gnats.

GUARANTEE

```
Pyrethrins.........................................10%
Piperonyl butoxide.................................20%
N-octyl bicycloheptene dicarboximide...............33%
Di-n-propyl isocinchomeronate......................40%
```

PRECAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel For Additional Cautions.

REGISTRATION No. 18588

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET CONTENTS_____

MADE IN CANADA

EMPIRE INTERNATIONAL

P.O. Box 695, Streetsville, P.S.
Mississauga, Ontario L5M 2C2

ATLANTA, GEORGIA; E. BRUNSWICK, NEW JERSEY;
U.S.A.; SAN JUAN, PUERTO RICO; SINGAPORE

DIRECTIONS FOR USE:

To protect dairy cattle from stable flies, horn flies,
houseflies, horseflies, mosquitoes, spray should be applied daily
before the morning or evening milking. Using Sprayer, apply as a
light mist not to exceed 56 mLs per animal. Apply from a
distance of 0.6 metre, permitting the spray particles to collect
upon the hair coat. Give special attention to the shoulder
blades, belly and legs. Wash teats, and udder with soap and warm
water prior to milking. Do not soak the hide.

For Calves: Spray very lightly once daily.

To Protect Cattle from Attack by Lice and Ticks: The animals
should be sprayed at the rate of 56 mLs per spraying for one
adult animal. Immediately rub the spray into the hair, paying
particular attention to infested areas. Repeat as necessary, but
not more frequently than once every three weeks. Ticks must be
contacted directly with the spray.

To Protect Cattle from Attack by Face Flies: Apply to the faces
of animals at a rate of 28 mLs per animal, paying particular
attention to the areas near the eyes and nostrils, Wipe on face
with heavy cloth or sponge. Avoid spraying directly into the
animals eyes. The treatment should be made daily while the
cattle are stanchioned for morning milking.

PRECAUTIONS: Flammable mixture. Product contains Petroleum
Distillate. Do not store, pour or use near fire or flame. Wear
mask or respirator when applying spray mist. Wear protective
clothing. Harmful if swallowed, inhaled or absorbed through
skin. Wash thoroughly with soap and water after handling. Do
not contaminate feed, water, mineral supplements, or food stuffs.
Do not contaminate milk or milk handling equipment with this
spray. Do not use in milk processing plants or milk parlours.
KEEP OUT OF REACH OF CHILDREN. Do not use near birds, fish or
pets. This product is toxic to fish. Do not contaminate any
body of water with this product. Avoid overspraying which will
result in wetting the animals hide. Do not spray on plastic, or
varnished surfaces. Mix well before use. Store in a cool place.
Keep container tightly closed. Do not reuse container. Dispose
of empty container in regular garbage.

FIRST AID: Product contains Petroleum Distillate, if swallowed
DO NOT induce vomiting. Obtain medical attention immediately.
If in eyes, flush with plenty of water. If on skin, wash with
soap and water. If irritation persists, obtain medical
attention.

NOTICE TO USER: This control product is to be used only in

accordance with the directions on this label. It is an offence
under the PEST CONTROL ACT to use a control product under unsafe
conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the
terms set out on the label and subject thereto, the buyer assumes
the risk to persons or property arising form the use or handling
of this product and accepts the product on that condition.

FOR INDUSTRIAL USE ONLY - NOT FOR RESALE

****

+))