DCL

DUAL PURPOSE SEED TREATMENT

COMMERCIAL

POWDER

Net weight: 10 kg

Diazinon and Lindane for control of seed and root maggots and wireworms and Captan for control of seedling blight and root rot.

GUARANTEE:

| DIAZINON | 7.0% |
|------------------------------------|-------|
| CAPTAN | 22.0% |
| GAMMA ISOMER OF BHC (FROM LINDANE) | 12.0% |

READ THE LABEL BEFORE USING

REGISTRATION NO.: 13796
PEST CONTROL PRODUCTS ACT

Patent Pending

DANGER POISON

CIBA-GEIGY CANADA LTD. 6860 Century Avenue Mississauga, Ontario L5N 2W5

WARNING: Exposure to captan may produce long-term health effects. To minimize exposure, follow directions outlined on this label.

DIRECTIONS: CORN, PEAS AND BEANS OF ALL TYPES (lima, field, snap, soybeans): Apply 450 g per 100 kg of corn seed or 420 g per 100 kg of pea or bean seed as a dry application and mix until thoroughly coated. Do not use hands for mixing.

FOR SLURRY MACHINES: Use 350 g seed treatment per litre of water and apply 1.25 litres of slurry per 100 kg of seed. For other rates of slurry application adjust to maintain 450 g per 100 kg of corn seed or 420 g per 100 kg of pea and bean seed.

FOR HAND MIXING: For each 100 kg of seed use 420-450 g in 1.25 L of water. Mix well to keep powder suspended in water; pour over the seed and mix with a paddle or shovel until evenly coated. Do not use hands for mixing. Dry the seed before seeding or bagging.

NOTE: For best results seed should be planted within a week after treating.

CAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. handle material with bare hands. Use rubber gloves; do not use leather or cloth gloves. Avoid spilling on skin or clothing. not breathe spray mist or dust. When treating, augering, or handling treated seed, work in a well-ventilated area and wear a respirator, goggles and gloves. When handling or applying, wear clothing that completely covers arms and legs to minimize exposure. Change contaminated clothing daily and wash thoroughly Wash hands, face and arms thoroughly with soap before re-use. and water after handling this product and before drinking, eating Shower after use or at the end of the work day. and smoking. Wash clothing and gloves before re-use. Always work out of the wind during mixing and loading operations. Keep unprotected persons out of operating area or vicinity where there may be drift. Do not contaminate food or feed. Do not contaminate any body of water. Treated seed should be coloured and labelled "Poisonous to man and animals. Do not use for food or feed. not sell to oil mills. This seed has been treated with diazinon, lindane and captan for control of insects and seed-borne diseases."

FIRST AID:

In case of poisoning, call a physician immediately. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with soap and water. IF IN EYES, flush with water for 5-10 minutes and obtain medical attention. IF SWALLOWED, give the patient one to two glasses of water and cause vomiting by giving one dose of syrup of ipecac. If the patient does not vomit within 20 minutes, give a second dose. If syrup of ipecac is not

available, give the patient one to two glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear. The patient should be lying down with the head below the level of feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE.

TOXICOLOGICAL INFORMATION:

Diazinon may cause cholinesterase inhibition. If poisoning occurs get prompt medical aid. Atropine is antidotal.

DECONTAMINATION AND DISPOSAL:

Decontaminate equipment and empty containers by thoroughly rinsing with water and dispose of rinsings by burying in non-crop land away from water supplies. Crush, break or puncture empty containers and bury with the rinsings or deliver them to sanitary landfill dumps in accordance with municipal requirements. For additional details on disposal of containers and rinsings, and for information about the appropriate means of disposal of unused, unwanted product, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not

liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))