

2000/2001

DIAZINON 5%

GRANULAR

Lawn & Garden Insecticide

Ready-To-Use Soil Insecticide for Lawns and Gardens

CONTROLS: Cutworms, Leatherjackets, Root maggots,
Sod webworm & White grubs.

FOR USE WHEN SEEDING OR TRANSPLANTING VEGETABLES.

DOMESTIC

READ THE LABEL BEFORE USING

REGISTRATION NO. 24069
PEST CONTROL PRODUCTS ACT

GUARANTEE: DIAZINON.....5%

NET: 500 g

DISTRIBUTOR:
UNITED HORTICULTURAL SUPPLY
R.R. #2
DORCHESTER, ONTARIO
N0L 1G5

UNITED AGRI PRODUCTS
R.R. #2
DORCHESTER, ONTARIO
N0L 1G5

DIAZINON 5% GRANULAR

DIRECTIONS FOR USE

VEGETABLES: To control Cutworms, spread 80 grams (8 tbsp.) Over 10m²(5m x 2m) of soil surface and work into top 8 - 15 cm of soil before seeding.

PLANTING TREATMENT

Vegetable	Insect	Rate
Brussels sprouts Broccoli Cabbage Cauliflower	Root maggots	10 grams (1 tbsp.) Per 10 metres of row in furrow with seeds. OR 3 grams per plant if using transplants. Do not apply within 14 days of harvest. Do not apply within 5 days of harvest. Do not apply within 7 days of harvest. Do not apply within 5 days of harvest.
Carrots Parsnips	Carrot rust fly maggots	10 grams (1 tbsp.) per 10 metres of row with seeds in furrow. Do not apply within 10 days of harvest.
Onions	Onion maggots	10 grams (1 tbsp.) per 10 metres of row in furrow with seeds. Do not apply within 10 days of harvest.
Rutabagas Turnips	Turnip root maggot	30 grams (3 tbsp.) per 10 metres of row with seeds in furrow. Two weeks after thinning make a 2nd application directly over row. Do not apply within 14 days of harvest.

LAWNS AND FLOWERS

Insect	Application
--------	-------------

Leatherjackets	75 grams (7.5 tbsp.) Per 10m ² (5m x 2m). Sprinkle the area for 15-20 minutes immediately after application. Apply in late Fall while still mild, or early Spring.
Ants Chinchbugs Clover mites Crickets Earwigs Fleas Millipedes Sod webworm Sowbugs Ticks	Apply 200 grams per 10m ² (5m x 2m). Repeat as necessary.
White grubs	Apply 150 grams per 10m ² (5m x 2m) between late July and early October. Water the grass thoroughly after application.
Spot Treatment	
Ants	3 grams over and around each ant hill.
Digger wasps	3 grams over and around each ground nest opening AT DUSK when wasps are not active.

One (1) tablespoon of this product weighs approximately ten (10) grams.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. May be absorbed through the skin. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feeds and foodstuffs.

FIRST AID

IF SWALLOWED: Induce vomiting and call a doctor or contact a poison-control centre. If on skin, wash with soap and water. If in eyes, rinse with water. If irritation develops, seek medical attention.

TOXICOLOGICAL INFORMATION

Atropine is antidotal. Use 1 - 2 mg every 15 - 20 minutes if necessary.

DISPOSAL

Dispose of empty container by securely wrapping in newspaper and discard in garbage.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))