

09-FEB-1999

ZONE-MORTE
CRAWLING INSECT KILLER PUMP SPRAY

CONTACT & RESIDUAL
INSECTICIDE SURFACE SPRAY

DOMESTIC

KILLS: spiders, ants, brown dog ticks, carpet beetles, cockroaches,
crickets, earwigs, fleas, millipedes, silver fish, sow bugs

GUARANTEE:

d-trans allethrin.....0.050%
N-Octyl Bicycloheptene dicarboximide...0.400%
Chlorpyrifos.....0.500%

REG. NO. 20756 P.C.P. ACT

NET CONTENTS 1 L

READ THE LABEL BEFORE USING

Keep out of reach of children

1644-2675 QUEBEC INC.
171, CHEMIN DES PATRIOTES
ST-CHARLES SUR RICHELIEU, QUEBEC
CANADA, J2H 2G0

FOR USE AS A SPOT OR CRACK AND CREVICE TREATMENT TO CONTROL INSECTS
LISTED ON FRONT PANEL.

DIRECTIONS: SHAKE CONTAINER WELL. Hold container approximately
30cm from surface being sprayed and spray until wet. Thorough
applications produce a coating which will vapourize into cracks and
crevices for insect control. If reinfestation occurs, repeat
applications as necessary. Provide adequate ventilation after
indoor use. KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.

INDOOR USE: Thoroughly treat cracks and crevices, baseboards,
underneath furniture and equipment, around garbage containers,
localized areas of floors and floor coverings (spot treatment only)
where insects habitate.

OUTDOOR USE: Spray outside surfaces of screens, doors, window
frames, foundations, patios, light fixtures and other places where
insects may alight, or congregate and enter.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin, or clothing. DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOODSTUFFS, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS. DO NOT USE AS A SPACE SPRAY. DO NOT CONTAMINATE FOODSTUFFS. Do not use in areas where food may be exposed. Do not use in bulk food storage areas. Do not use in cupboards where food or cooking utensils are stored. In homes or dwellings, remove or cover all exposed food and cooking utensils before spraying. Thoroughly wash all surfaces that might contact food before re-use. Product is very toxic to fish. Do not contaminate any body or water by improper disposal.

FIRST AID TREATMENT: In case of contact with the skin, wash with soap and water. If in eyes, flush with water for 15 minutes, get medical attention. If accidentally swallowed, do not induce vomiting. Call physician or Poison Control Centre immediately.

TOXICOLOGICAL INFORMATION:

Chlorpyrifos is a cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: Do not reuse container. When container is empty, dispose of in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))