

01-JUN-1999

CLEAN CROP (R)

METHOXYCHLOR 25%

INSECTICIDE

DOMESTIC

READ THE LABEL BEFORE USING

GUARANTEE:

Methoxychlor 25%

REGISTRATION NO. 25336

PEST CONTROL PRODUCTS ACT

NET: 1 L

Distributed by
UNITED AGRI PRODUCTS
R.R. #2
Dorchester, Ontario N0L 1G5

UNITED HORTICULTURAL SUPPLY
R.R. #2
Dorchester, Ontario N0L 1G5

DIRECTIONS FOR USE:

Use only at recommended rates. Use in sufficient water for thorough coverage (usually 1 L of water is required to cover 10 m²). Begin treatment at first sign of insects. Amount to be used depends on the size of the crop plants.

GARDEN CROPS: 3-9 mL of water

CROP	PESTS
------	-------

Beans	Bean leaf beetles, Bean weevils, Leafhoppers and Mexican bean beetles
Beets, Carrots, Eggplants, Lettuce, Peppers, Radishes, Spinach & Turnips	Blister beetles, Flea beetles and Leafhoppers
Broccoli, Brussels Sprouts, Cabbage & Cauliflower	Imported cabbageworms and Flea beetles
Cucumbers, Pumpkins & Squash	Cucumber beetles, Flea beetles and Leafhoppers
Onions	Trips
Peas	Pea weevils
Potatoes	Blister beetles, Colorado potato beetles, Flea beetles
Tomatoes	Blister beetles, Fall armyworms, Flea beetles and Tomato fruitworms
Asparagus	Asparagus beetles

NOTE:

Use with caution on cucurbits. Do not use on young lima bean plants. Do not feed treated crops or crop refuse to animals. Do not apply within 1 day of harvest on cucumbers, eggplants, peppers, pumpkins, squash and tomatoes; within 3 days of harvest on asparagus and cabbage; within 7 days on beans, beets, cauliflower, onions, peas, potatoes, radishes and turnips; and within 14 days on broccoli, Brussels sprouts, lettuce and spinach. May be used on carrots or turnips within 1 day of harvest if tops are not to be used for food or feed.

FRUIT	DIRECTIONS FOR USE
-------	--------------------

Apples, Apricots, Cherries, Peaches, Pears & Plums	To control Cherry fruit flies and Plum curculio, use 3-9 mL/L of water and give sufficient spray to cover all foliage and fruits thoroughly. Start spraying at petal fall and use 2-3 applications at 7-14 day intervals as needed. Do not apply within 7 days of harvest on apples, cherries, pears and plums; and within 21 days on apricots and peaches. Do not spray during bloom.
Currants, Gooseberries & Strawberries	To control Currant fruit flies and Strawberry weevils, use 4-9 mL/L of water. Do not apply within 14 days of harvest. Do not apply during bloom.

PESTS	DIRECTIONS FOR USE
<p>Bruce Spanworms & Winter Moths on Tree Fruits and Ornamental Trees</p> <p>NOTE: BRITISH COLUMBIA ONLY</p>	<p>Mix 4 mL/L of water and spray trees thoroughly. Apply in the spring at the time when blossom buds on the trees are in the pre-pink stage (before blossom). Use a second spray after blossom time if required. Do not spray during bloom. Do not apply to fruit trees within the pre-harvest intervals: 7 days - apples, cherries, pears and plums. 21 days - apricots, peaches. For best results follow provincial recommendations for timing.</p>

ORNAMENTALS, TREES, SHRUBS, FLOWERS & HOUSE PLANTS:

PESTS	DIRECTIONS FOR USE
-------	--------------------

Caterpillars, Elm leaf beetles, Flea beetles, Lace bugs, Leafhoppers, June beetles, Tent caterpillars, Thrips, Rose chafers, Rose leaf beetles, Rose slugs, Webworms and Weevils	Add 4 mL of Methoxychlor to 1 L of water to make a 1% emulsion. Spray plants thoroughly.
--	--

PICNIC AREAS, BACKYARDS & PATIOS:

PESTS	DIRECTIONS FOR USE
Ants, Centipedes, Crickets, Flies, Hornets, Mosquitoes, flying Moths and Wasps.	Prepare a 3% emulsion by mixing 120 mL of Methoxychlor in 1 L of water. For flying insects, use a fine spray and allow it to drift over the area being treated. Repeat if necessary. For crawling insects, spray directly on pests or on the surface of the infested area.

NON CROP VEGETATION & OTHER OUTDOOR AREAS:

PESTS	DIRECTIONS FOR USE
Black flies and adult Mosquitoes	For spray applications, prepare a 5% emulsion by mixing 20 mL of Methoxychlor with 80 mL of water, and spray to cover 200 m ² of ground thoroughly, using a hand or power sprayer. Repeat applications may be necessary. Do not apply near lakes, streams or ponds containing fish.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid inhaling spray mist. Avoid contact with skin, eyes and clothing. Avoid contamination of feed and food. Wash after handling or using. Avoid contamination of ponds, streams and other bodies of water which contain fish life or which may be used for irrigation or domestic purposes.

TOXICOLOGICAL INFORMATION: Slightly irritating to the skin.

FIRST AID: For external contact, wash with soap and water. If in eyes, flush with plenty of water. If swallowed, do not induce vomiting; product contains petroleum distillate. Get prompt medical attention.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))