### Empire

## ES 66 XP

### KILLS VEGETATION

A liquid killer to be applied undiluted as a spray on non-cropland areas where bare ground is desired. (The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions).

HEAVY DUTY LANDSCAPING FORMULA

ACTIVE INGREDIENTS: Bromacil ( 5-bromo-3-sec-butyl-6-methyluracil....0.61%

CAUTION!

Keep out of reach of children. See side panel for additional precautions. Read the label before using

> Registration No. 17054 PEST CONTROL PRODUCTS ACT

> > Net Contents

MADE IN CANADA

FOR INDUSTRIAL USE ONLY

### EMPIRE INTERNATIONAL

C.P./Box 695, Streetsville, P.S. Mississauga, Ontario L5M 2C2 ATLANTA, GEORGIA: SAN FRANCISCO, CALIFORNIA: E. BRUNSWICK, NEW JERSEY: USA: SAN JUAN, PUERTO RICO: SINGAPORE

DIRECTIONS: Apply any time of year except when the ground is frozen. Best results are obtained when applied just before or during active weed growth (in late spring or early summer).

Before treating, calibrate equipment to insure uniform coverage of the area to be treated. Measure out the proper amount and apply.

EQUIPMENT: Power sprayers, compressed air hand sprayers, knapsack sprayer or an ordinary sprinkler can be used to apply. No dilution or agitation is required

GENERAL WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas such as parking lots, fence rows loading ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply 10 to 20 Litres per 100 m2.

For other HARD-TO-KILL perennial weeds and grasses such as Johnson-grass, saltgrass, bounding bet, bracken fern and horsetail apply 15 to 20 Litres per 100 m2.

To control perennial weeds and grasses, such as smooth brome, Canada blue grass, purple-top, quackgrass, broomsedge, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot, apply 10 to 15 Liters per 100 m2.

For other HARD-TO-KILL perennial weeds and grasses such as Johnson-grass, saltgrass, bounding bet, bracken fern and horsetail apply 15 to 20 Litres per 100 m2.

To control perennial weeds and grasses, such as smooth brome, Canada bluegrass, purple-top, quackgrass, boomsedge, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot, apply 10 to 15 Litres per 100 m2.

# PRECAUTION Keep out of reach of children

Harmful if swallowed or absorbed through skin. Causes Skin irritations. Do no breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

In case of contact, wash skin with soap and water; immediately flush with large amounts of water for at least 15 minutes and get medical attention. Remove and wash contaminated clothing before re-use.

Do not apply directly to, or otherwise permit it to come into contact with susceptible plants, such as vegetables, fruit trees, ornamentals, cotton, grapes, or other desirable plants and do not permit spray mist containing it to drift onto them. (Coarse sprays are less likely to drift.) Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same spray equipment for other purposes). Do not store near fertilizers, seeds, insecticides, or fungicides. Do not contaminate water used for irrigation or domestic purposes. Do not reuse this container for other materials without thorough cleaning.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift form areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE TO USER: "This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions."

NOT FOR RESALE

#### \*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))