

96.02.23

(( FRONT PANEL ))

GREEN CROSS(R)

VEGETATION KILLER

DOMESTIC

READY-TO-USE

RESIDUAL VEGETATION CONTROL

Controls undesirable vegetation including broadleaf weeds and grasses on patios, walks, gravel driveways, tennis courts, parking areas or where bare ground is desired. Contact and soil residual action kills most emerged vegetation and prevents new growth.

NET CONTENTS: 2 L      OR      NET CONTENTS: 3 L

GUARANTEE:

Bromacil .....	3 g/L
2,4-D (present as amine) .....	1.5 g/L

READ THE LABEL BEFORE USING

REG. NO.: 22349

P.C.P. ACT

IMPORTANT: This product affects most vegetation. To lessen injury to desirable plants, see PRECAUTION section.

The Solaris Group  
A Unit of Monsanto Canada Inc.  
600 - 25 Watline Avenue  
Mississauga, Ontario  
L4Z 2Z1

(( BACK PANEL - KIT AND REFILL LABEL ))

IMPORTANT PRODUCT USE INFORMATION:

To assist you in the initial priming of your sprayer:

1. Place the hose of the sprayer in container and screw down cap. Sprayer fits both Kit and Refill.
2. Turn the sprayer nozzle clockwise to the fully closed position.
3. Turn the nozzle back or counter clockwise 3/4 of a turn. This will produce a jet stream. (Remember, sprayer is fully adjustable - from jet stream to fine spray, simply by turning nozzle clockwise.)
4. Hold the container in one hand, level with the sprayer in the other.
5. While holding the sprayer upright in a pistol position, aim downwards (avoid spraying sensitive areas - as identified on the product label) and squeeze the trigger until the product sprays from the nozzle. Adjust nozzle to give coarse wet stream. Aim, pull trigger. Only short burst necessary.
6. After completing Step 5, both sprayer and container may be held in any position that is convenient for you.
7. When not in use, keep nozzle above liquid level of container to prevent leakage from nozzle. Turn the sprayer nozzle clockwise to the fully closed position.
8. ALWAYS STORE OUT OF REACH OF CHILDREN, and wash hands thoroughly after each use. Avoid contact with dip tube.

NOTE: SPRAYER SHOULD ONLY BE USED WITH THIS PRODUCT.

NON-SELECTIVE HERBICIDE

NON-VOLATILE AND NON-FLAMMABLE

APPLICATION:

Squeeze trigger to operate with coarse spray. Thoroughly wet

stems and leaves of weeds. Soil in cracks of patio may be treated for residual control of seedling weeds. Type of vegetation, new growth, rainfall, etc. will determine frequency of application. Repeat as needed.

What to look for: Twisted growth of vegetation should appear within a week after treatment. Vegetation should then discolour and die. Mature grass and hard-to-kill vegetation may take up to 4 weeks to die.

#### PRECAUTIONS:

Do not use or rinse sprayer on or near lawns, crops, shrubs and trees, or where their roots may extend. BE PARTICULARLY CAREFUL NOT TO TREAT PATIO STONE AREAS UNDER TREES AS THEIR ROOTS EXTEND TO THE AREA TO THE END OF THE BRANCHES AND BEYOND.

#### ILLUSTRATION

DO NOT USE WHERE IT MAY MOVE INTO CONTACT WITH ROOTS OF DESIRABLE VEGETATION (EG. ON SLOPED AREAS)

#### ILLUSTRATION

DO NOT APPLY WITHIN 30 cm OF LAWN GRASSES.

DO NOT USE ON SOIL REQUIRED FOR PLANTING WITHIN 2 YEARS.

Avoid spray drift into garden plants. KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin or eyes. Avoid breathing spray mist.

#### Protective Clothing:

- Wear long-sleeved shirt, long pants, socks and shoes.

#### Operator Use Precautions:

- Wash hands before eating, drinking, using tobacco or using the toilet.
- After treating, wash thoroughly.
- If pesticide penetrates clothing, remove immediately; then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before reuse.

Re-entry Interval:

- Do not allow people (other than the applicator) or pets on the treatment area during application. Do not enter treated areas until spray has thoroughly dried.

DISPOSAL:

Do not reuse empty container. Wrap in newspaper and dispose of empty container in household garbage.

FIRST AID:

If on skin, wash thoroughly. If in eyes, flush with plenty of water and get medical attention. If ingested, induce vomiting. Consult a physician or contact a Poison Control Centre.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

(R)Registered trademark of Monsanto Company, Monsanto Canada Inc. licensee

(( FRONT PANEL SPRAYER BAG (KIT) ))

GREEN CROSS(R)

SPRAYER KIT

The Solaris Group  
A Unit of Monsanto Canada Inc.  
600 - 25 Watline Avenue  
Mississauga, Ontario  
L4Z 2Z1

(( BACK PANEL SPRAYER BAG (KIT) ))

IMPORTANT PRODUCT USE INFORMATION:

To assist you in the initial priming of your sprayer:

1. Place the hose of the sprayer in container and screw down cap. Sprayer fits both Kit and Refill.
2. Turn the sprayer nozzle clockwise to the fully closed position.
3. Turn the nozzle back or counter clockwise 3/4 of a turn. This will produce a jet stream. (Remember, sprayer is fully adjustable - from jet stream to fine spray, simply by turning nozzle clockwise.)
4. Hold the container in one hand, level with the sprayer in the other.
5. While holding the sprayer upright in a pistol position, aim downwards (avoid spraying sensitive areas - as identified on the product label) and squeeze the trigger until the product sprays from the nozzle. Adjust nozzle to give coarse wet stream. Aim, pull trigger. Only short burst necessary.
6. After completing Step 5, both sprayer and container may be held in any position that is convenient for you.
7. When not in use, keep nozzle above liquid level of container to prevent leakage from nozzle. Turn the sprayer nozzle clockwise to the fully closed position.
8. ALWAYS STORE OUT OF REACH OF CHILDREN, and wash hands thoroughly after each use. Avoid contact with dip tube.

NOTE: SPRAYER SHOULD ONLY BE USED WITH THIS PRODUCT.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))