

2000/2001

INSECTO

DICHLORVOS

COMMERCIAL

READY TO USE INSECTICIDE

KILLS FLIES, MOSQUITOES, GNATS.

FOR DAIRIES, PIGGERIES, POULTRY HOUSES, AND BARN

GUARANTEE:

DICHLORVOS..... 0.9%

READ THE LABEL BEFORE USING

REGISTRATION NO **17908** PEST CONTROL PRODUCTS ACT

NET CONTENT

10 L

18 L

INSECTO ENR.

143, Chemin St-Dominique
St. Pie de Bagot J0H 1W0

DIRECTIONS: Shake well before using. Close doors, windows and other openings and remove all animals from buildings before application. Apply with a mist fogger (non-thermal) or manual pump at a rate of 200 mL per 100 m³. Wear mask or respirator and protective clothing. Apply to cracks, crevices and wall surfaces. Direct spray upwards, towards ceilings and walls or straight on insects. Keep area closed for 10-20 minutes after fogging. Ventilate thoroughly before reentering treated areas. Repeat as necessary. When using a mist fogger, the equipment must be maintained and operated in accordance with the manufacturer's instruction manual.

NOTE: Treatment should be made only before or after milking

only.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Not for use on humans or animals. Apply only when the dairy is not in operation. Cover or remove all food processing surfaces, milk, utensils, and dairy processing equipment. After spraying, wash all surfaces that may contact milk food and rinse thoroughly with potable water before reuse. Avoid contamination of feed and water-troughs.

Thoroughly clean all food processing equipment with potable water before resuming operations. Avoid contact with skin. Do not inhale spray mist. Wash after using. Do not store near food, water or litter. Keep in original container during storage. Store in a cool, well ventilated place. Do not use in areas where beekeeping equipment or supplies are being stored. Do not contaminate any body of water. Toxic to fish.

FIRST AID: This product contains petroleum distillate; harmful if swallowed, inhaled or absorbed through skin. In case of poisoning, call a physician immediately. **If on skin**, remove contaminated clothing and wash skin thoroughly with soap and water. **If in eyes**, flush with water 5-10 minutes and obtain medical attention. **If swallowed, do not induce vomiting**, but rush the patient to the nearest hospital or Doctor's office, taking the pesticide container with you.

DISPOSAL: Rinse the empty container thoroughly and add the rinsings to the spray tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused unwanted product and the clean-up of spills, contact the regional office of Conservation and Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching

for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))