



SEVIN BRAND 50% MANUFACTURING CONCENTRATE

CARBARYL INSECTICIDE

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING ONLY

KEEP OUT OF REACH OF CHILDREN



GAURANTEE: CARARYL (1-NAPHTHYL-N-METHLCARBAMATE) 50%


REGISTRATION NO. 17930 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET WEIGHT: 25KG

AVENTIS CROPSCIENCE CANADA CO.
295 HENDERSON DRIVE
REGINA SK. S4N 6C2

IN CASE OF SPILLS, POISONING OR FIRE
TELEPHONE EMERGENCY RESPONSE NUMBER COLLECT
1-888-AVENTIS (283-6847)

 and SEVIN are registered trademarks of the Aventis Group.

DIRECTIONS FOR USE: To be used only in the manufacture of a product which is registered under the Pest Control Products Act. Read Technical Bulletin for formulation details.

PRECAUTIONS: WARNING. HAZARD TO HUMANS AND DOMESTIC ANIMALS.

May be fatal if swallowed. Avoid breathing of dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

FIRST AID PROCEDURES: Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF SWALLOWED: If patient is conscious and alert, give 2-3 glasses of water or milk to drink. If available, give one tablespoon of Syrup of Ipecac to induce vomiting. If vomiting has not occurred in 20 minutes, the same dose of Syrup of Ipecac may be repeated one additional time. Alternatively, induce vomiting by touching the back of the throat with a finger or blunt object. Do not make an unconscious person vomit. GET MEDICAL ATTENTION OR CALL A POISON CONTROL CENTRE IMMEDIATELY.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

TOXICOLOGICAL INFORMATION: Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1-2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2-4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

To aid in the confirmation of diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters.

STORAGE: Store unused product in original container only, in cool, dry area out of reach of children and animals and away from seed, feed, fertilizer or other pesticides. Do not store in areas where temperatures frequently exceed 38°C.

DISPOSAL: Canadian formulators using this product should dispose of unwanted active and containers in accordance with municipal or provincial regulations. For additional details and clean up of spill contact the provincial regulatory agency or the Manufacturer.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))