

96.11.01

DivoSan™ {

Quat Detergent S1

DETERGENT / DISINFECTANT
CLEANER - DETERGENT - DEODORIZER - SANITIZER
MILDEWSTAT (on hard inanimate surfaces)
DISINFECTANT - FUNGICIDE (against pathogenic fungi)

Effective in hard water up to 400 ppm hardness (calculated as CaCO₃) in the presence of 5% serum contamination.

GUARANTEE:

n-Alkyl (5% C₁₂, 60% C₁₄, 30% C₁₆, 5% C₁₈)
dimethyl benzyl ammonium chloride.....0.8%
n-Alkyl (68% C₁₂, 32% C₁₄)
dimethyl ethyl benzyl ammonium chloride.....0.8%

CAUTION
ATTENTION

READ LABEL BEFORE USING

REGISTRATION NO. 21833
PEST CONTROL PRODUCTS ACT

COMMERCIAL
DIN. 02078279

Diversey Lever Canada
division of UL Canada Inc.
2645 Royal Windsor Drive
Mississauga, Ontario L5J 1L1
Tel. (905) 822-3511 Fax (905) 822-3797

Net Contents: 22L

FOR INDUSTRIAL, HOSPITAL, INSTITUTIONAL & COMMERCIAL USE ONLY

DIRECTIONS FOR USE:

QUAT DETERGENT S1 is a proven one-step disinfectant - cleaner - sanitizer - fungicide - mildewstat - virucide which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination. Apply QUAT DETERGENT S1 to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth or mop so as to thoroughly wet surfaces.

DISINFECTION: Add 35mL of QUAT DETERGENT S1 per 1 litre of water. Apply with mop, cloth or sponge, ensuring surface is thoroughly wet and remains wet for 10 minutes. Let air dry. For hospitals 50mL of QUAT DETERGENT S1 per 1 litre of water should be used. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution per each application.

MILDEWSTAT: Add 25mL of QUAT DETERGENT S1 per 1 litre of water. Apply with cloth, mop or sponge making sure surfaces are wet. Let air dry. Prepare fresh solutions for each use. Repeat application as necessary.

SANITIZATION: Prepare a 200 ppm active quaternary of 13mL of QUAT DETERGENT S1 per 1 litre of water. Make sure surfaces remain wet for 60 seconds.

INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 ON SURFACES AND OBJECTS SOILED WITH BLOOD OR BODILY FLUIDS:

This product is effective against HIV-1 (Human Immunodeficiency Virus) in hard water up to 400 ppm (CaCO_3), and in the presence of organic soil (5% blood serum).

Personal Protection: When handling items soiled with blood or bodily fluids, wear disposable latex gloves, gowns, masks, and eye coverings.

Cleaning Procedure: Thoroughly clean blood or bodily fluids from surfaces before applying "QUAT DETERGENT S1".

Contact Time: To kill HIV-1, apply "QUAT DETERGENT S1" 35mL per 1 litre of water and allow surface to remain wet for 2 minutes.

Disposal of Infectious Materials: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to provincial and local regulations for infectious waste disposal.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

STORAGE AND DISPOSAL:

1. Do not contaminate water, food, or feed by storage or disposal.
2. Storage - Store in a dry place no lower in temperature than 10°C or higher than 50°C.
3. Rinse the emptied container thoroughly and add the rinsings to treatment site.
4. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
5. Make the container unsuitable for further use.
6. Dispose of the container in accordance with provincial requirements.
7. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the manufacturer.

FIRST AID: If splashed in eyes or on skin, thoroughly flush with water for at least 15 minutes. For eyes get medical help immediately. If swallowed, drink milk, egg white or large amounts of water. Call physician or Poison Control Centre immediately. Do not induce vomiting.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

KEEP OUT OF REACH OF CHILDREN. HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS. HARMFUL OR FATAL IF SWALLOWED.

Lot:
Expiry:

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or

assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))