

19-FEB-1998

Ditchling

RATABAN "D"

Rodenticide Pellets

FOR CONTROL OF RATS AND MICE

INDOORS AND OUTDOORS

GUARANTEE:

Diphacinone ..... 0.005%

COMMERCIAL

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 23648

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

Net 10 Kg

DITCHLING CORPORATION LIMITED

P.O. Box 395,

Don Mills, ON

M3C 2S7

SUGGESTED USE: For control of Norway Rats, Roof Rats and House Mice in and around homes, industrial and agricultural buildings. This product can be used in wet or damp locations such as river banks, railroad tracks, loading areas, in or around Rat holes, under granaries, along fences, garbage dumps, landfills, etc.

All outdoor placements MUST be made in tamper-resistant bait stations.

RATABAN "D" is equally effective in dry areas such as the insides of buildings and other protected areas. Place baits in tamper-resistant bait stations along walls, in corners, and in concealed locations where Rats can feed undisturbed. Check bait stations daily to ensure that an uninterrupted supply of RATABAN "D" is available. Maintain an uninterrupted supply of bait for at least 15 days. Continue baiting until all signs of feeding have stopped.

#### DIRECTIONS

Determine areas where Rats and/or Mice will most likely consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places between floors and walls, or in places where rodents or their signs have been observed. Use only in non-food or non-feed areas where feed, food, packaging and handling equipment are NEVER opened or exposed.

RATS: Apply 113 to 454 g of bait (usually at intervals of 5 to 9 metres) per placement.

MICE: Apply 7 to 14 g of bait at 2 to 3 1/2 metre intervals. Larger placements (up to 57 g) may be needed at points of very high mouse activity.

Keep treated areas well supplied. RATABAN "D" should be available to rodents until complete lack of feeding is noticed. Never allow treated areas to remain empty for over 48 hours.

RATS & MICE: Replace immediately contaminated or spoiled bait immediately. Collect and properly dispose of all dead rodents and unconsumed bait in accordance with local requirements. To prevent reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a source of continuous reinfestation is present, establish permanent bait stations and replenish with RATABAN "D" as needed.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC, ANIMALS AND WILDLIFE. Do not expose treated bait in areas accessible to children, dogs, domestic animals, and wildlife except when enclosed within tamper-resistant bait box. Keep away from feed or foodstuffs. Do NOT get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after handling and before eating or smoking. Keep out of lakes, streams or ponds.

FIRST AID: If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give patient one or two glasses of water and induce vomiting by touching back of throat with a finger or blunt object; repeat until vomit fluid is clear. Do NOT give anything by mouth to an unconscious person. Contact a physician or Poison Control Centre immediately.

TOXICOLOGICAL INFORMATION: Diphacinone is an anticoagulant. Vitamin K1, in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion is suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

DISPOSAL: Do NOT reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the manufacturer.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))