93.08.04

COMMERCIAL

ZOECON

PRECOR   5E

Flea Growth Regulator

To Prevent the Emergence
of Adult Fleas Indoors

GUARANTEE: Methoprene...............65.7%

REGISTRATION NO: 19606 PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

NET CONTENTS: 30 mL

SANDOZ AGRO CANADA INC.
Suite 302, Plaza 4, 2000 Argentia Road
Mississauga, Ontario
L5N 1W1

PRECOR
is a Registered Trademark of Sandoz Ltd.

DIRECTIONS FOR USE:

Precor 5E Flea Growth Regulator acts on an immature life stage
of the flea, preventing the adult flea from developing. Flea
eggs deposited on and larvae crawling onto treated areas will
not develop into adult fleas. Existing adult fleas and flea
pupae are not affected.

If a high population of adult fleas (the biting stage) is
present, the use of an adulticide may be necessary for immediate
relief.

When applied to surfaces where fleas are found, such as carpets,
upholstered furniture and pet sleeping areas, Precor 5E Flea

Growth Regulator prevents adult flea emergence for 3 months.

Flea control on pets is important in prevention of introduction of adult fleas indoors. When using this product, and fleas are problems on pets, the pets should be treated with an effective registered flea control product to prevent the introduction of adult fleas indoors.

METHOD AND RATE OF APPLICATION: Prepare a diluted spray solution by adding 1 millilitre of Precor 5E Flea Growth Regulator to 3.8 litres of water. Partially fill the mixing container with water, add Precor 5E Flea Growth Regulator, shake, and fill to final volume. Use diluted spray solution within 48 hours of mixing. Shake before each use.

Apply at a rate of 3.8 litres of diluted solution per 95-110 sq. m. of surface area with any low pressure sprayer typically used for indoor applications. Treat all areas which may harbor fleas, including carpets, furniture, pet sleeping areas and throw rugs. Treat under cushions of upholstered furniture.

STORAGE & DISPOSAL

Store in a cool place. Do not reuse empty container. Rinse the emptied container thoroughly and add rinsings to the spray mixture in the tank. Wrap container and put in trash collection. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environmental Protection, Environment Canada.

PRECAUTIONARY STATEMENTS

Avoid contact with eyes. Wash hands after use. Do not use near food or cooking and eating utensils. Keep people and pets out of area during treatment. Avoid contact with treated surfaces until spray has dried. Do not use in any food handling establishments (including food processing plants, food storage areas, restaurants and other commercial food handling establishments) In homes, remove or cover all food before spraying. After application, wash any treated surfaces that may contact food. Do not use in food storage or food production areas.

FIRST AID TREATMENT

In case of contact with eyes, immediately flush eyes with plenty of water. Get medical attention if irritation persists. Product contains petroleum distillate, if ingested, do not induce vomiting. Obtain medical attention immediately, taking the pesticide container with you.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an of fence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to terms set out on the label and subject thereto, the buyer assumes the risk to person or property arising from the use or handling of this product and accepts the product on that condition.

<div align="center">1286-B:7331A:0087A</div>

<div align="center">*****************************</div>

+))