

23-JUL-1996

((PAMPHLET))

500 mL

DOMESTIC

GUARANTEE: 2,4-D 200 g/L

present as dimethylamine

CO-OP (R)

LAWN WEED KILLER LIQUID

Controls Dandelions and Plantain

READ THE LABEL AND ATTACHED PAMPHLET BEFORE USING

CAUTION

POISON

REG. NO. 8469

P.C.P. ACT

Interprovincial Cooperative Limited,  
P.O. Box 1050, Saskatoon, Saskatchewan S7K 3M9

Winnipeg      Mississauga      Montreal      Moncton

Lawn Weed Killer

Unique measuring device is permanently attached to bottle control for easy measuring of exact amount of pesticide required. Read precautions and directions on label.

1. Remove red cap.
2. Squeeze very gently to fill measuring cup to desired level-squeeze gently.

3. Pour measured amount directly into sprayer. Bottle can be turned upside down safely - only the liquid in the measuring cup will pour out.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes or clothing. Protective Clothing and Equipment: Wear long-sleeved shirt, long pants, socks, shoes and chemical-resistant (e.g., rubber) gloves. Operator-use Precautions: Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Re-use gloves for pesticide application only. General Precautions: Bent grasses and legumes are susceptible to 2,4-D. Use about 1/2 the rate recommended on bent grasses. Do not spray when windy. Measure quantities carefully. DO NOT GUESS. Clean equipment before and after use. Do not freeze.

Re-entry Interval for Turf: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

#### DIRECTIONS:

For control of dandelions, plantain and other weeds susceptible to 2,4-D use 75 mL in 10 litres of water per 100 m<sup>2</sup>. Use a pressure sprayer with coarse spray or a watering can with a fine spray.

Maximum Application Frequency for Turf: For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

#### FIRST AID:

If in eyes rinse with water for 15 minutes. If on skin wash off with soap and water. If swallowed induce vomiting (use syrup of ipecac) and obtain medical attention or contact a poison control centre.

(R) T.M. Reg'd.

(( LABEL ))

Lawn Weed Killer

LIQUID

Controls Dandelions and Plantain

DOMESTIC

GUARANTEE: 2,4-D 200g/L

present as dimethylamine

READ THE LABEL BEFORE USING

CAUTION POISON

REG. NO.: 8469

P.C.P. ACT

Interprovincial Cooperative Limited,  
P.O. Box 1050, Saskatoon, Saskatchewan S7K 3M9

WINNIPEG      MISSISSAUGA      MONTREAL      MONCTON

\*\*\*\*\*

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))