

95.03.23

UNITED
LABORATORIES

WASP & HORNET
KILLER

UNITED C-173

PRESSURIZED
CONTACT AND RESIDUAL
INSECTICIDE SPRAY
WITH TWO SPRAY BUTTONS

(Blast or Stream - Alternate Button Attached)

COMMERCIAL
SHAKE WELL BEFORE USING.
READ LABEL BEFORE USING

NET CONTENTS: 320 GRAMS

GUARANTEE:

Pyrethrins.....	0.050%
Technical Piperonyl Butoxide.....	0.100%
N-Octyl Bicycloheptene Dicarboxate.....	0.166%
Propoxur.....	0.500%

DANGER CAUTION

EXTREMELY FLAMMABLE EXPLOSIVE

Call Toll Free: 1-800-323-2594

Sold By: UNITED LABORATORIES OF CANADA, INC.
Downsview, Ont. M3J 2P8

ATLANTA-DALLAS-DENVER-JACKSONVILLE-PHILADELPHIA-RENO-TORONTO

FOR THE CONTROL OF WASPS, BEES, HORNETS, AND YELLOW JACKETS

LIMITATIONS

Do NOT use inside homes, on humans or animals. Do NOT use as a space spray.

DIRECTIONS - SHAKE WELL BEFORE USE. Remove protective cap.
Select appropriate button. Use direct stream button at nest.

Use blast button (larger) on flying insects. Press the nozzle and completely saturate the nest from a distance of 2 to 3 metres. Allow sufficient time for insects to become dead or moribund. Applications to wasp nests should be made in late evening or early morning (if possible) when insects are at rest.

PRECAUTIONS: May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not contaminate food, utensils, food preparation areas. Remove pets and cover fishbowls before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas.

KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not store or use above 50'C as container may burst. Do not puncture or incinerate container. Do not use in presence of open flame or spark, or while smoking.

FIRST AID INSTRUCTIONS: If on skin, wash immediately with soap and warm water. If in eyes, flush for 15 minutes with water; call a physician. Contains Petroleum distillate. If swallowed, call a physician or poison control center immediately.

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

DISPOSAL: When container is empty press button to release all pressure. Do not throw into fire. Dispose of in accordance with provincial regulations.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATIONS OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Printed in U.S.A.

NOT INTENDED FOR CONSUMER HOUSEHOLD USE

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))