

07-JUL-1999

FYFANON

GRAIN PROTECTANT POWDER

AGRICULTURAL

GUARANTEE: MALATHION 0.5%

REGISTRATION NO. 14782 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 20 Kg

Registrant:

Cheminova Inc.
1700 Rt. 23 Suite 210
Wayne, NJ 07470 USA

Manufactured for:

Cheminova Canada
5915 Airport Rd., Suite 316
Mississauga Ont. L4V 1T1

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN AND PETS.

Hazardous if swallowed, inhaled, or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash exposed skin areas thoroughly with soap and water after use. Remove contaminated clothing and clean before re-use. Avoid contaminating any body of water containing fish.

FIRST AID:

IN CASE OF MEDICAL EMERGENCY, CALL TOLL FREE, DAY OR NIGHT:
1-800-228-5635, EXT. 153

If swallowed, induce vomiting by touching the back of the throat with a finger, repeat until vomit fluid is clear. Rush patient

to nearest hospital taking this labelled container with you and call a poison control centre. In case of skin contact, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention.

TOXICOLOGICAL INFORMATION:

Malathion may cause cholinesterase inhibition, atropine is antidotal.

STORAGE:

Store in a cool, dry place, away from food, feed and seed.

DISPOSAL:

1. Empty bag.
2. Follow provincial instructions for any required additional cleaning of the bag prior to its disposal.
3. Make the empty bag unsuitable for further use.
4. Dispose of the bag in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the provincial regulatory Agency or the manufacturer.

DIRECTIONS FOR USE

GENERAL INFORMATION:

This product is intended for mixing with stored WHEAT, OATS, BARLEY and RYE to control the following insects:

Confused Flour Beetle	Indian Meal Moth
Flat Grain Beetle	Lesser Grain Borer
Grain Mite	Rusty Grain Beetle
Granary Weevil	Saw-toothed Grain Beetle

Do not sell grain within 7 days after treatment with this product. Treated grain may be fed to livestock at any time. This treatment does not affect seed germination.

METHODS OF APPLICATION:

BEFORE STORAGE: Mix FYFANON GRAIN PROTECTANT with grain at the

following rates:

GRAIN	GRAMS OF PRODUCT PER 100 KG GRAIN
Wheat	165 g
Oats	295 g
Barley	210 g
Rye	180 g

This can be done while the grain is being loaded or turned into final storage either by means of an attachment on the auger or by applying the product on the grain where it is unloaded from the truck or wagon.

STORED GRAIN: If the elevator or granary is completely free from insects before loading, protection against new infestation of the stored grain can be given by applying 50 Kg of FYFANON GRAIN PROTECTANT per 100 m² of surface area and working it into the grain to a depth of 15 cm.

EMPTY ELEVATORS OR GRANARIES, which may be infested, should be cleaned and sprayed inside and outside with Fyfanon 50% EC as directed on that label. This should be done 2 to 4 weeks before storing any grain.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))