

92.01.16

EXTERMINATION SILO 1967 (R) INC

READY TO USE SOLUTION

BARN AND LIVESTOCK
LIQUID
INSECTICIDE

WILL CONTROL
FLIES
MOSQUITOES
GNATS

AGRICULTURAL

SHAKE WELL
BEFORE USING

READ THE LABEL
BEFORE USING

GUARANTEE:

Pyrethrins.....0.125%
Piperonyl Butoxide.....1.25%

REGISTRATION No. 17244.01
PEST CONTROL PRODUCTS ACT

EXTERMINATION SILO INC.
1896, Montee Bois Franc, Case postale 609
St-Adolphe d'Howard, Que. J0T 2B0

4 Litres

DIRECTIONS:

Space spray. To control house fly, stable fly, mosquitoes, and gnats, in hog, dairy and beef barns, milking parlors, milk rooms and poultry houses. Close doors and windows. Apply as a fog or fine mist directing spray upwards to all parts of the room especially windows and other light sources, using U.L.V. equipment which produces a fine mist such as Micro Gen. Use 200-300 mL of solution / m³. Leave the room closed for 20 minutes before ventilation. The ideal time of the day for spraying is early morning. Spray only when temperature is under 32 deg Celsius. This product is non corrosive. It must be protected from sun rays. Do not forget to close container after use. Repeat application as necessary. Remove all animals from barn before using as a space spray. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry.

LIVESTOCK SPRAY:

To control horse fly, house fly, mosquitoes, stable fly, horn fly, face fly, black fly, lice flea, moth, northern fowl mites and lesser meal worm on beef cattle, dairy cattle (lactating or non lactating), hogs, horses and hens. Spray animal, not more than once daily, using a sprayer which produces a fine mist such as a cold aerosol fogger. Apply at a rate of 30-60 mL/animal. Spray should be enough to wet ends of the hair only. DO not wet the hair or skin. Take care not to spray in animal's eyes. Treat dairy cattle before milking but do not spray directly on the udders. Wash udders before milking. After one week, treatments may be reduced to once every second day.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Not for use on humans. Avoid inhalation of spray. Avoid contact with skin, eyes and clothing.

Wash after use. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Do not contaminate food or feed. Do not contaminate feed or water troughs. Do not spray over milk or milking equipment. Cover milk and milking utensils to prevent contamination from spray and dead insects. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse. Do not use in areas where bee-keeping equipment or supplies are stored. Product toxic to fish. Do not contaminate any body of water.

DISPOSAL:

Do not reuse container. Follow provincial instructions for any required cleaning of the container prior to its disposal. make empty container unsuitable for use and dispose in accordance with provincial requirements. For information on the disposal of unused, unwanted products and the cleanup of spills contact the regional office of Conservation and Protection, Environment Canada.

FIRST AID:

If in eyes or on skin, flush with clean water. If irritation persists, obtain medical attention. If accidentally swallowed, obtain medical attention at once.

NOTICE TO USER:

This product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions. WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising out of the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))