

98.06.01

((LABEL))

BURGESS (R)

BUG KILLER INSECT FOG

WITH RESMETHRIN

For use in all propane, gas and electric foggers

Ideal for: Yards, Decks, Pools, Picnic Areas, Outdoors

Kills Flying Insects

DANGER                      POISON

DOMESTIC

READ THE LABEL AND THE LEAFLET BEFORE USING

REG. NO. 23145 P.C.P. ACT

KILLS MOSQUITOES, BITING MIDGES, BLACK FLIES,  
NO-SEE-UMS & HORNETS

Net Contents: 1.98 Litres

GUARANTEE:

Resmethrin 0.200%

Registrant:

Bonide Products, Inc.

2 Wurz Ave.

Yorkville, NY

13495

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapours or spray mist, and provide adequate ventilation of area being treated. Contact with the eyes, skin, or clothing should be avoided.

Avoid contamination of food and foodstuff.

Remove pets, birds and cover fish aquariums before spraying. DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY.

#### DISPOSAL

Do not reuse empty container. Wrap and discard with household garbage.

#### FIRST AID

If swallowed: Call physician or Poison Control Centre immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless directed by a physician. Vomiting may cause aspiration pneumonia. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If in Eyes: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

If on Skin: Wash contaminated skin with soap and water.

((LEAFLET))

BURGESS

BUG KILLER INSECT FOG

WITH RESMETHRIN

DOMESTIC

For use in All propane, gas and electric foggers

KILLS MOSQUITOES, BITING MIDGES, BLACK FLIES,  
NO-SEE-UMS & HORNETS

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND LEAFLET BEFORE USING

REG. NO. 23145 P.C.P. ACT

DANGER POISON

GUARANTEE:

+\*Resmethrin 0.200%

\*Cis/trans isomer ratio: max. 30% (+) cis and min.

+Roussel Bio's SBP-1382 TM brand of resmethrin insecticide

Roussel Bio Corp.  
400 Sylvan Avenue,  
Englewood Cliffs, NJ 07632

Bonide Products, Inc.  
2 Wurz Ave.  
Yorkville, NY  
13495

TM Roussel Bio Corporation Trademark

DISPOSAL: Do not reuse empty container. Wrap and discard with household garbage.

DIRECTIONS:

FOR OUTDOOR USE ONLY

This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes in the aerosol size range.

For small area applications, hold thermal applicator at least 1.5 metres from any object, especially plants and shrubbery. Avoid wetting of foliage. Apply undiluted at the rate of 30 to 60 mL per 28.5 m<sup>3</sup>. Fog only when there is no breeze, or wind velocity is less than 4.8 Km/Hr. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Keep away from food, humans and pets. Avoid inhalation of the fog. DO NOT SMOKE WHILE FOGGING. Do not enter the treated area until fog has dissipated. Repeat application as necessary. Kills mosquitoes, biting midges, black flies, no-see-ums and hornets.

Specially formulated for use in All electric, propane and gas

powered thermo foggers.

Ideal For: Yards, Decks and Around Pools

#### NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

#### PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapours or spray mist, and provide adequate ventilation of area being treated. Contact with the eyes, skin, or clothing should be avoided.

Avoid contamination of food and foodstuff.

Remove pets, birds and cover fish aquariums before spraying.

DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY.

#### FIRST AID

If swallowed: Call physician or Poison Control Centre immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless directed by a physician. Vomiting may cause aspiration pneumonia. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If in Eyes: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

If on Skin: Wash contaminated skin with soap and water.

#### ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

This formulation is combustible. Do not use or store near heat or open flame. Do not store below 0'C.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))