

1998/2003

dispar

DISVAP

LIVESTOCK SPRAY
AND FOGGING SOLUTION

AGRICULTURAL

GUARANTEE: Dichlorvos 0.9% (W/W)

READ THE LABEL BEFORE USING

REGISTRATION NO.: 18723 PEST CONTROL PRODUCTS ACT

CAUTION

POISON

NET CONTENTS 10 L

DISPAR, DIVISION OF VETOQUINOL CANADA INC.
Lavaltrie, Qc. Canada
J0K 1H0

DIRECTIONS: DISVAP FOGGING SOLUTION and Livestock Spray when applied directly to dairy cattle beef cattle, reduces the population of such annoying pests as stable flies, hornflies and houseflies. DISVAP FOGGING SOLUTION livestock spray is ready to use and does not require dilution.

DAIRY AND BEEF CATTLE (LACTATING AND NON-LACTATING): Apply as a spray to flanks, legs, brisket, head and neck on each side of the animal, beginning at the tail and moving forward. Apply sufficient spray to dampen hair (do not soak hair or skin), usually about 30 to 60 mL of solution depending on the size of the animal. Take care not to spray in eyes, mouth or on udders. Wash udders before milking. One or two applications per day may be necessary during periods of high fly population and persistent annoyance.

ANIMAL BUILDINGS (DAIRY BARNs, HORSE BARNs, SHELTER SHEDS)
OUTDOOR AREAS: Apply DISVAP FOGGING SOLUTION AND LIVESTOCK SPRAY as a fog or a mist. Apply 200 mL per 100 m³ of enclosed area. Before applying reduce air movements as much as possible by closing doors, windows and other openings. Remove all animals

from building before spraying. Direct spray upwards to all parts of the room especially windows and other light sources. Also direct mist into areas where insects are present. Keep room closed for 15 minutes before ventilating. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry. Sweep up dead insects. Do not use in milk room or milk processing rooms.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

1. Harmful if swallowed, inhaled or absorbed through the skin. Do not breath spray mist. Wear protective clothing, natural rubber gloves and a suitable mask or respirator when handling the product. Destroy used gloves. Wash contaminated clothing before re-use. Wash thoroughly with soap and water after handling and before eating or smoking.
2. Keep in original container during storage. Destroy empty container.
3. Handle and apply only as recommended and at recommended rates.
4. Do not contaminate feed, foodstuffs or water troughs. Do not apply fog within 8 hours to areas where livestock have received treatment. Do not store with feed or foodstuffs.
5. Highly toxic to crabs, fish and shrimps. Do not contaminate streams, lakes, ponds, irrigation water, water used by livestock or water used for domestic purposes.
6. Cover milk and milking utensils to prevent contamination from spray and dead insects. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse. Do not use in areas where bee-keeping equipment or supplies are stored.
7. Keep product away from fire, open flame, lighted electric bulbs and other source of heat.

FIRST AID: Product contains petroleum distillate. If swallowed, DO NOT induce vomiting. Obtain medical attention immediately. If in eyes, flush with clean water for 5-10 minutes and obtain medical attention. If on skin, remove contaminated clothing and wash skin thoroughly with soap and water. Dichlorvos is a cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: Do not reuse container. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use and dispose in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))