

1998/2003

AGRICULTURAL

10 litres

MECOPROP AMINE 200 LIQUID  
SELECTIVE WEEDKILLER

For the Control of Weeds Resistant to  
2,4-D in Turf, Golf Greens and Fairways  
and for use in Cereals.

CAUTION                      POISON

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

GUARANTEE: mecoprop d-isomer 200 g per litre (present as amine)

REGISTRATION No. 08975 PEST CONTROL PRODUCTS ACT

ZENECA Agro  
a business of ZENECA Corp.  
250-3115 12<sup>th</sup> Street N.E.  
Calgary, AB T2E 7J2

A93/A-1

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

- \* Avoid contact with skin, eyes and clothing.
- \* Do not spray In high winds.
- \* Do not spray legumes or such crops as beans, beets, brassica crops, tomatoes, or flowers, garden vegetables, trees or shrubs, and do not allow mist or spray to drift onto them.
- \* Do not contaminate water supplies, irrigation ditches, ponds, lakes and streams.
- \* After using sprayer for weedkillers, do not use the same sprayer to apply other chemicals on susceptible crops.
- \* Do not mix with fertilizer compounds containing nitrogen.

FIRST AID

If a known exposure occurs or is suspected, immediately initiate the recommended procedures below. If further treatment is required, contact a Poison Control Centre, a physician, or the nearest hospital.

Remove patient from exposure area and remove contaminated clothing.

If Swallowed: Do not induce vomiting. Get medical attention.

If in Eyes: Immediately flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart during flushing to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention.

If on Skin: Flush all affected areas with plenty of soap and water for 15 minutes. Remove contaminated clothing and shoes. Seek medical attention if skin irritation occurs. Wash clothing before reuse.

#### EMERGENCY TELEPHONE NUMBER

All hours, 1-800-327-8633 (FASTMED) ONLY for health and environmental information.

#### STORAGE

Store in a cool dry well ventilated area away from foodstuffs and out of reach of children and animals. Do not store near, or in the same room as seed, fertilizer, other pesticides, etc. Store at room temperature - DO NOT ALLOW TO FREEZE.

#### SPILL CLEANUP

Wear Appropriate protective equipment (gloves, glasses, apron) when attempting to clean up the spill. If the container is leaking, secure leak and place the container into a drum or heavy gauge plastic bag. Contact ZENECA Agro (See EMERGENCY NUMBER) for further information.

For spills and leaks; contain the liquid with dikes of inert material (soil, clay, kitty litter etc.). Absorb the spill onto inert material and shovel into a sealable waste container.

On hard surfaces - sprinkle spill area with detergent and scrub in a small quantity of water with a coarse broom. Let stand for

10 minutes then absorb onto an inert material and shovel waste into a waste container.

On soil - remove the top 15 cm of soil in the spill area and replace with fresh soil. Dispose of all waste including scrub brush in accordance with provincial requirements. For more information on the disposal of waste and the clean up of spills, contact the Provincial Regulatory Agency or the manufacturer.

#### DISPOSAL

Rinse the empty container thoroughly and add rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, and the cleanup of spills, contact the Provincial Regulatory Agency or the manufacturer.

#### PRODUCT INFORMATION

Chipman Mecoprop Amine 200 is a selective weed killer to control Chickweed, Clovers, Black Medic, Lamb's-Quarters, Buttercup, Creeping Charlie, Corn Spurrey in turf, golf greens and fairways, and cereals. It is safe on Red Fescue, Blue Grasses, Bent Grasses and Rye Grasses when applied according to directions.

#### NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

#### DIRECTIONS FOR USE

##### Mixing Instructions

If mixing Chipman Mecoprop Amine 200 with either 2,4-D or MCPA, it is safer to first mix one with the quantity of water to be used before the second weedkiller is added. This procedure reduces the possibility of the formation of gums or precipitates which clog nozzles and filters. Where water is known to have excessive salt content, compatibility of the water and chemical at field strength should be tested first on a small scale. Do not

mix with Ester formulations of 2,4-D and MCPA.

#### Application Instructions

- \* Apply Chipman Mecoprop Amine 200 with an efficient boom sprayer, a pressure sprayer using a coarse spray, or a watering can with a fine rosette spray.
- \* Spray to give thorough coverage of weeds without excessive run-off.
- \* Avoid spraying during hot dry spells. Do not spray when rain is forecast. Results are best when weed growth is active and temperatures are above 10°C.
- \* Mix thoroughly with clean water and provide gentle agitation during spraying.
- \* Provide continuous, gentle agitation during spraying.
- \* Do not cut or mow turf for 3 to 5 days before or after spraying.
- \* Action starts within 7 days but killing may take a month or more.

#### TURF, GOLF GREENS AND FAIRWAYS

Seedling Grasses (at least 3 cm high) - apply 2.75 to 4.25 L in 325 to 450 L of water per hectare (45 mL in 10 L of water per 100 m<sup>2</sup>).

Established Turf - Apply 4.25 to 5.5 L in 325 to 450 L of water per hectare (75 mL in 10 L of water per 100 m<sup>2</sup>). Use the low rates for susceptible weeds such as Chickweed, and the higher rate for harder-to-kill weeds such as Buttercup.

#### CEREALS (Wheat, Oats, Barley):

Apply 4.25 L in 50 to 225 L of water per hectare. Apply during 15 cm to early shot-blade stage of cereal growth. In cereals, Chipman Mecoprop Amine 200 can be used with 1 L of Chipman 2,4-D Amine 500 or 1 L of METHOXONE Amine 500. The chemicals should be mixed one at a time in the water in the spray tank and sprayed immediately.

Caution - See mixing instructions under Directions for Use.

DO NOT SPRAY CHIPMAN MECOPROP AMINE 200 ON CEREALS WITH LEGUMES.

CAUTION: Do not graze the treated crops or cut for hay; there are not sufficient data available to support such use.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))