

2-JUN-2005

**LATER'S
WEED-STOP®
Spot Weed Killer**

Ready-To-Use

Controls Broadleaf Weeds such as Dandelions,
Clover, Plantain, Chickweed etc., in lawns.

DOMESTIC

REG. NO. 27951 P.C.P. ACT

GUARANTEE:

2,4-D 0.20%

Mecoprop-P 0.20%

(both present as dimethylamine salts)

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

700 mL (1 L, 2 L, 4 L)

Spectrum Brands IP Inc.

~~Nu Gro IP Inc.,~~
10 Craig St.,
Brantford, ON
Canada N3R 7J1

Notification Change

DIRECTIONS FOR USE: Later's WEED-STOP® Spot Weed Killer is Ready-To-Use. Spray anytime weeds are actively growing. Do not apply when temperatures are expected to exceed 30°C or if rain is expected to occur within 24 hours following application. Will not harm grass when used as directed. Weeds in newly seeded lawns may be sprayed after lawn has been mowed 3 times.

IMPORTANT: Do not use for controlling weeds in vegetable gardens, flower beds or around shrubs or ornamental plants. Temporary discoloration may occur on Bentgrass, St. Augustine and Centipede lawns.

CONTROLS: Black Medic, Clover, Carpetweeds, Chickweed, Creeping Charlie, Cudweed, Curled Dock, Dandelion, English Daisy, Fall Hawkbit, Heal-all, Henbit, Pennywort, Plantains, Purslane, Sheep Sorrel, Spurges (annual), Sow Thistle, White Clover, Wild Carrot, Wild Onion, Canada Thistle.

HOW TO USE: Adjust spray nozzle to give a coarse spray. Aim at centre of weed and spray to wet leaves. One application should be sufficient; however, a repeat application may be required in 2 - 3 weeks for hard to control weeds.

Maximum Application Frequency: For good lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or absorbed through skin. **Re-entry Interval:** Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried. **Protective Clothing:** Wear long-sleeved shirt, long pants, socks and shoes and chemical-resistant (e.g., rubber) gloves. **Operator Use Precautions:** Wash hands before eating, drinking, using tobacco or using the toilet. After treating, wash thoroughly. If pesticide penetrates clothing, remove immediately; then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before re-use.

ENVIRONMENTAL HAZARDS: Do not contaminate streams, lakes or ponds.

FIRST AID: If swallowed, INDUCE VOMITING and contact a doctor or poison control centre IMMEDIATELY. Never give anything by mouth to an unconscious person. **If in eyes,** flush with clean water for 15 minutes and get medical attention. **If on skin,** wash with soap and water. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Keep product in original container. Store in a cool, dry place away from food, feed, seeds, fertilizer, insecticides or fungicides.

DISPOSAL: Do not reuse empty container. Wrap container in newspaper and dispose of in household garbage.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons and property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.