

96.04.19

Alfa Laval Agri

Della-Mist\*

LIVESTOCK SPRAY

AGRICULTURAL

PRESSURIZED INSECTICIDE SPRAY  
FOR MILKING PARLOURS, MILKING ROOMS,  
AND DAIRY AND BEEF CATTLE

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 24401  
PEST CONTROL PRODUCTS ACT

Net Contents  
600 g

GUARANTEE:

Pyrethrins	0.50%
Piperonyl Butoxide	4.00%

Alfa Laval Agri  
2020 Fisher Drive, Peterborough, ON K9J 7B7  
Division of Tetra Laval Inc.

Hold can upright while spraying. SHAKE WELL BEFORE USING.

DIRECTIONS: To kill houseflies, hornflies, mosquitoes and stable flies.

SPACE SPRAY: Kills flying insects in milking parlours and milking rooms. Direct spray upwards to all parts of the room especially windows and other light sources. Apply at a rate of 6 to 10 seconds per 30 cubic metres. Remove all animals from

treatment area before using a space spray. For best results, close all doors and windows during treatment and keep room closed for fifteen minutes before ventilating. Ventilate areas thoroughly for at least 30 minutes before animal re-entry. Insects must be contacted to be killed. Sweep up dead insects. Repeat as necessary with additional spraying of breeding areas. Spray only when temperature is under 32°C.

**LIVESTOCK SPRAY:** To treat beef, dairy cattle and horses against attack of houseflies, stable flies and horn flies. Spray animals once daily with a fine mist. Apply at a rate of 6 to 8 seconds per animal. Spray should be enough to wet ends of the hair only. Do not wet the hair or skin. Take care not to spray in animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking. Do not spray directly on udder. Wash udders before milking. Do not use more often than once a day. Do not cover horses after treatment.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Cover milk and milking utensils to prevent contamination from spray and dead insects. Do not contaminate feed or water troughs. Do not spray over milking equipment. (Any treated surfaces that may contact food or feed products should be washed thoroughly with potable water after spraying and before re-use). Avoid contact with skin and eyes. Wash after using. **CONTENTS UNDER PRESSURE:** Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate can or store at temperature over 50°C. Do not spray into or near any open flame or spark. Not for use on humans. Avoid inhalation of spray.

**FIRST AID:** If sprayed in eyes or on skin, flush with clean water. If irritation persists, obtain medical attention. If accidentally swallowed, obtain medical attention at once.

**DISPOSAL:** When container is empty, press valve to release all remaining pressure. Dispose of empty container with household garbage. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

**NOTICE TO USER:** This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control under unsafe conditions.

**LIMITATION OF WARRANTY:** Seller's guarantee shall be limited to

the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*Registered trademark / Authorized user

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))