

2002/2003

TERMINATOR(R)

WASP & HORNET KILLER

PRESSURIZED CONTACT AND RESIDUAL INSECTICIDE SPRAY
With Two Spray Buttons

(Blast or Stream-Alternate Button Attached)

COMMERCIAL

SHAKE WELL BEFORE USING

GUARANTEE:

PYRETHRINS.....	0.050%
TECHNICAL PIPERONYL BUTOXIDE.....	0.100%
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE....	0.166%
PROPOXUR.....	0.500%

REGISTRATION NO. 24863 PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

NET CONTENTS 400 g

VENTES ALIBAR SALES
P.O. BOX 127
PIERREFONDS, QUEBEC H9H 4K8
(514) 620-1564

FOR THE CONTROL OF WASPS, BEES, HORNETS AND YELLOW JACKETS

LIMITATIONS

DO NOT use inside homes, on humans or animals.
DO NOT use as a space spray. NOT INTENDED FOR HOUSEHOLD USE

DIRECTIONS

SHAKE WELL BEFORE USE

Remove protective cap. Select appropriate button. Use direct stream button at nest. Use blast button (larger) on flying insects. Press the nozzle and completely saturate the nest from a distance of 2 to 3 metres. Allow sufficient time for insects to become dead or moribund. Applications to wasp nests should be made in late evening or early morning (if possible) when insects are at rest.

PRECAUTIONS: May be harmful if swallowed, inhaled, or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not contaminate food, utensils, food preparation areas. Remove pets and cover fishbowls before spraying. Toxic to fish and wildlife. Do not contaminate animal feeding areas. KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not store or use above 50°C as container may burst. Do not puncture or incinerate container. Do not use in the presence of open flames or sparks. Do not smoke while using this product.

FIRST AID INSTRUCTIONS: If on skin, wash immediately with soap and warm water. If in eyes, flush for 15 minutes with water; call a physician. If swallowed, call physician or poison control center immediately (contains Petroleum Distillate).

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate cholinesterase inhibitor. Atropine Sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER: This control product is to be used only in

accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATIONS OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))