

04-JUN-1998

WEED ROLLER

FOR LAWN WEEDS

DOMESTIC HERBICIDE

GUARANTEE: Mecoprop (d-isomer) 3.8%; 2,4-D
7.6%; dicamba 0.7% (all present as dimethyl amines)

REG. NO. 16437 PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

Package contains: one 50cm roller for grassed areas
one 5cm roller for grassed areas
(spot weeder)
one 50cm frame for roller
one 5 cm frame for 5cm roller
(spot weeder)
one 110cm extension handle

50cm rollers cover approximately 930m²
5cm spot roller covers approximately 37m²
Approximate coverage for each roller only when used as
directed. Non-volatile. Curbs burning of applied areas.
Fast, easy, accurate, effective & fully controlled
application. For use on level, uneven or terraced areas.
Interchangeable frames with handle. Sectional, two
length handle with cap. Handle used as holder for weed
heads, small stones, etc. Lightweight, all metal,
strong sturdy construction.

Manufactured by
T. H. Linton,
48 Farmcrest Drive
Agincourt, Ontario,
M1T 1B9

Net weight: 311.5g

DESTROY DANDELIONS. Banish Broadleaf Weeds, Control weed
growth by simple, easy & controlled application. Large weeds

may need to be re-treated in 3 days.

HOW TO ASSEMBLE UNITS. Remove handle, frames & rollers from package. Assemble extension handle by inserting sections together. Remove 50 cm weed roller from cover by slowly pulling metal roller end until fully released. Thread either 50cm or 5cm frame into bottom end of handle. Slide 50cm roller onto lower right frame axle end. Thread bolt into left side frame end tightly. Threaded bolt acts as left side axle. For 5cm roller, simply thread frame into handle end, slide roller onto axle & thread nut tightly onto threaded axle end.

HOW TO USE 50CM ROLLER. Simply apply roller to grassed areas using slight downward pressure and walk forward. For complete coverage make two applications at right angles to each other. For small areas, use raking motion.

HOW TO USE 5CM ROLLER. Simply apply roller in forward & backward motion over visible weeds.

DEAD WEED IDENTIFICATION. Weed eradication will show in about 2-3 weeks. Rapid, twisted growth or blackened weed growth should appear about 1 week after application. In some instances, sooner. If new weeds germinate from drifting weeds, repeat application when weed growth is higher than grass level.

DIRECTIONS: Weed control rollers containing herbicides for the control of a wide range of turf weeds including dandelion, chickweed, black medic, plantain, cocklebur, knotweed, prickly lettuce, lamb's quarters, mustards, vetch, pennycress, pigweed, purslane, ragweed, ribgrass, sowthistle, speedwell, mossy stonecrop, bull thistle, Canada thistle, yarrow, annual nettle, buttercup, charlock, common orache, cleavers, dovesfoot, cranesbill, fat hen, fumitory, runch, wild radish, shepherd's purse, wild turnip, bedstraw, heal-all, English daisy, ground ivy, (creeping Charlie), devil's paint brush, poison ivy and other common lawn weeds.

WHEN TO USE: For best results, 1 to 3 days after cutting grass & cut grass 3 - 6 days after 1st application. Use in 18-27°C temperatures. Application in rain or wet grass will not deter controlling action. Wind, rain & hose water will not affect treatment. Apply during active growing season. Repeat application when new growth appears. Repeat applications will not injure or retard grass growth.

LEVEL, UNLEVEL & TERRACED AREAS: Angled bracket shank enables

user to efficiently & effectively use rollers on level, uneven or terraced areas with ease.

When applying weed rollers to grassed areas & to maintain neat, manicured, lawn appearance, remove handle cap, pick up all weed heads, small stones, etc. & deposit in handle. Use of gloves advised when picking up weed heads. Empty debris in trash tin & replace cap.

Length of two phase sectional handle can be shortened to allow application in difficult areas, under shrubs, etc. Cap fits each handle section.

If, during weed roller applications to grassed areas, some soil attaches to rollers, continue operation as such will not stop action.

PRECAUTIONS: Do not use weed rollers on newly seeded lawns. Do not touch rollers to flowers, shrubs, trees, evergreens or other desirable plants. When cutting a treated lawn, do not blow grass cuttings onto flowers or other desirable plants. Avoid contact with skin or eyes. Use garden gloves when assembling rollers to frames & when applying rollers. Such precautions will keep herbicides from hands. In case of contact, wash affected area with soap + water. Keep out of the reach of children. Do not store near seeds, pesticides, or fertilizers. Store rollers in cardboard or other type of container.

PROTECTIVE CLOTHING. Wear long-sleeved shirt, long pants, socks and shoes.

OPERATOR USE PRECAUTIONS: Wash hands before eating, drinking, using tobacco or using toilet after treating wash thoroughly.

If pesticide penetrates clothing, remove immediately; then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before re-use.

RE-ENTRY INTERVAL. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until 24 hours after treatment.

For good turf-lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatment.

FIRST AID: If in eyes, flush with water and get medical

attention. If on skin, wash with soap and water. If swallowed: Get medical attention at once or contact a Poison Control Centre.

STORAGE: Store in original container in a dry secured storage area. Keep container tightly closed when not in use.

DISPOSAL: Do not reuse container. Wrap in newspaper and dispose empty container with household garbage.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label & subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product & accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))