

DECCO**Cerexagri Inc.****AGCLOR 310****READ THE LABEL BEFORE USING**

A solution of sodium hypochlorite to be added to water used to wash harvested apples, pears, cherries, nectarines, peaches, plums and potatoes for controlling decay causing fungi and bacteria (Alternaria, Botrytis, Glomerella, Monilinia, Mucor, Penicillium, Rhizopus, and Erwinia species) in the washing water and on the surface of product at the time of washing.

GUARANTEE:

Sodium hypochlorite	10.8%
Available chlorine content	10.3%

Net Content: 208 liters ()
 10 liters ()

**KEEP OUT OF REACH OF CHILDREN
 FOR AGRICULTURAL USE ONLY**

**WARNING****CORROSIVE**

Atofina Chemicals Inc.
 700 Third Road
 Oakville, Ontario L6J 5A3
 Canada

REGISTRATION NO. 23722 PEST CONTROL PRODUCT ACT

**PRECAUTIONS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash thoroughly after handling. Remove and wash contaminated clothing promptly. Avoid breathing vapors and mist. Use with adequate ventilation. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public water without a valid permit.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergent, toilet bowl cleaners, rust removers, vinegar, or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

STORAGE: Agclor degrades with age. Storage at temperature above 70° F increases breakdown. Store in cool, dry, well-ventilated area away from direct sunlight.

DISPOSAL:

- 1) Triple or pressure-rinse the empty container. Add the rinsing to treatment site.
- 2) Follow provincial instructions for any required additional cleaning of container prior to its disposal.
- 3) Make the empty container unsuitable for further use.
- 4) Dispose of the container in accordance with provincial requirement.
- 5) For information on the disposal of unused, unwanted product contact the manufacturer or Provincial Regulatory Agency. Contact the manufacturer and the Provincial regulatory Agency in case of spill, and for cleanup of spills.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Get medical attention. Remove contaminated clothing and shoes. Wash clothing before re-use. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention. If inhaled, remove to fresh air. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

NOTICE TO USER: This control product is to be used only as directed on this label. It is an offense under the Pest Control Product Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE:

- 1) For apples use 100 to 150 ppm available chlorine. (Add 970 to 1455 ml of product to 1000 liters of water).
- 2) For cherries use 75 to 150 ppm available chlorine (Add 728 to 1455 ml of product to 1000 liters of water).
- 3) For peaches, plums and nectarines use 50 to 100 ppm available chlorine (Add 485 to 970 ml of product to 1000 liters of water).
- 4) For pears, use 100 to 150 ppm available chlorine. (Add 970 to 1455 ml of products to 1000 liters of water).
- 5) For potatoes use 50 ppm available chlorine. (Add 485 ml of product to 1000 liters of water).

To obtain a 100 ppm solution of available chlorine add 970 ml of Agclor 310 to 1000 liters of water. Use of Decco Buffer 312 to control pH is highly recommended. (Use the same amount of Decco Buffer 312 as Agclor 310).

WARNING: The concentration of chlorine will decrease with prolonged use of treatment solution. Check the chlorine concentration several times during the day, using colorimetric test kit. Add more Agclor 310 to bring up the concentration to desired level if needed. If the solution becomes too dirty prepare a fresh solution.

After treating the commodities, the fruits and vegetables should be rinsed thoroughly with potable water.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., contact www.cropro.org/.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Decco Cerexagri Inc.
1713 S. California Ave
MONROVIA, CA 91016-0120

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.