

96.11.14

((FRONT PANEL))

ORTHO

WEED-B-GON(R) WEED KILLER

READY-TO-USE SPOT WEEDER

DOMESTIC

HERBICIDE

CONTROLS BROADLEAF WEEDS, DANDELIONS, CLOVER, PLANTAINS,
CHICKWEEDS, ANNUAL SPURGES, HENBIT, ENGLISH DAISY AND OTHER
LISTED WEEDS.

NET CONTENTS: 2 L OR NET CONTENTS: 3 L

GUARANTEE:

2,4-D0.20%

Mecoprop (d-isomer)0.20%

(both present as Amines)

REG. NO.: 24504

P.C.P ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

PROTECT FROM FREEZING

The Solaris Group
A Unit of Monsanto Canada Inc.
600 - 25 Watline Avenue
Mississauga, Ontario
L4Z 2Z1

IMPORTANT PRODUCT USE INFORMATION:

To assist you in the initial priming of your sprayer:

1. Place the hose of the sprayer in container and screw down cap. Sprayer fits both Kit and Refill.
2. Turn the sprayer nozzle clockwise to the fully closed position.
3. Turn the nozzle back or counter clockwise 3/4 of a turn. This will produce a jet stream. (Remember, sprayer is fully adjustable - from jet stream to fine spray, simply by turning nozzle clockwise.)
4. Hold the container in one hand, level with the sprayer in the other.
5. While holding the sprayer upright in a pistol position, aim downwards (avoid spraying sensitive areas - as identified on the product label) and squeeze the trigger until the product sprays from the nozzle. Adjust nozzle to give coarse wet stream. Aim, pull trigger. Only short burst necessary.
6. After completing Step 5, both sprayer and container may be held in any position that is convenient for you.
7. When not in use, keep nozzle above liquid level of container to prevent leakage from nozzle. Turn the sprayer nozzle clockwise to the fully closed position.
8. ALWAYS STORE OUT OF REACH OF CHILDREN, and wash hands thoroughly after each use. Avoid contact with dip tube.

NOTE: SPRAYER SHOULD ONLY BE USED WITH THIS PRODUCT.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

CONTROLS: Black Medic, Clover, Carpetweeds, Chickweed, Creeping Charlie, Cudweed, Curled Dock Dandelion, English Daisy, Fall Hawkbit, Heal-all, Henbit, Pennywort, Plantains, Purslane, Sheep sorrel, Spurges (Annual), Sow Thistle, White Clover, Wild Carrot, Wild Onion, Canada Thistle.

DIRECTIONS:

Adjust spray nozzle to give a coarse spray. Aim at centre of weed and spray to wet. One application should be sufficient, however, a repeat application may be required in 2-3 weeks for hard to control weeds. Spray anytime weeds are actively growing. Do not apply when temperatures are expected to exceed 30°C or if rain is expected to occur within 24 hours following application. Weeds in newly seeded lawns may be sprayed after lawn has been mowed 3

times.

PRECAUTIONS:

Do not use for controlling weeds in vegetable gardens, flower beds or around shrubs or ornamental plants. Temporary discoloration may occur on St. Augustine, Centipede and Bentgrass lawns.

Protective Clothing:

- Wear long-sleeved shirt, long pants, socks and shoes.
Operator Use Precautions:
- Wash hands before eating, drinking, using tobacco or using the toilet.
- After treating, wash thoroughly.
- If pesticide penetrates clothing, remove immediately; then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before reuse.

Re-entry Interval:

- Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

FIRST AID:

If on skin, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with plenty of water. Obtain medical attention. If swallowed, rinse mouth with water. Drink water to dilute. Call doctor or Poison Control Centre if symptoms of poisoning occur.

DISPOSAL:

Do not re-use empty container. Dispose of empty container in garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons

and property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

(R)Registered trademark of Monsanto Company, Monsanto Canada Inc. licensee

((FRONT PANEL SPRAYER BAG (KIT)))

ORTHO(R)

SPRAYER KIT

The Solaris Group
A Unit of Monsanto Canada Inc.
600 - 25 Watline Avenue
Mississauga, Ontario
L4Z 2Z1

((BACK PANEL SPRAYER BAG (KIT)))

IMPORTANT PRODUCT USE INFORMATION:

To assist you in the initial priming of your sprayer:

1. Place the hose of the sprayer in container and screw down cap. Sprayer fits both Kit and Refill.
2. Turn the sprayer nozzle clockwise to the fully closed position.
3. Turn the nozzle back or counter clockwise 3/4 of a turn. This will produce a jet stream. (Remember, sprayer is fully adjustable - from jet stream to fine spray, simply by turning nozzle clockwise.)
4. Hold the container in one hand, level with the sprayer in the other.
5. While holding the sprayer upright in a pistol position, aim downwards (avoid spraying sensitive areas - as identified on the product label) and squeeze the trigger until the product sprays from the nozzle. Adjust nozzle to give coarse wet stream. Aim, pull trigger. Only short burst necessary.

6. After completing Step 5, both sprayer and container may be held in any position that is convenient for you.
7. When not in use, keep nozzle above liquid level of container to prevent leakage from nozzle. Turn the sprayer nozzle clockwise to the fully closed position.
8. ALWAYS STORE OUT OF REACH OF CHILDREN, and wash hands thoroughly after each use. Avoid contact with dip tube.

NOTE: SPRAYER SHOULD ONLY BE USED WITH THIS PRODUCT.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))