

Raid® Max™ HOUSE & GARDEN BUG KILLER

Pressurized Space & Contact Spray

DOMESTIC
READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

GUARANTEE:
Pyrethrins 0.20%
Technical Piperonyl Butoxide 1.00%

REG. NO. 25306 P.C.P. ACT

CAUTION



EXPLOSIVE

NET CONTENTS:
500g

S.C. Johnson
A FAMILY COMPANY (logo)

<<secondary panel>>

DIRECTIONS: SHAKE WELL BEFORE USING. Hold can upright while spraying.

TO KILL HOUSE PESTS: Flying Insects: Flies, mosquitoes, wasps, biting midges and flying moths. Close doors and windows. Direct mist upwards in sweeping motion to all parts of the room especially windows and other light sources. Apply, 6 to 10 second burst per 30 m³ of space. Whenever possible, keep doors and windows closed for 15 minutes after each treatment. Also direct mist into areas where insects are present. Keep spray at least 1 m from interior walls, fabrics and furniture.

Crawling Insects: Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silverfish. Spray hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames, or in ant nests. Insects must be hit to be killed.

Bed Bugs: Spray mattress, particularly around seams and tufts. Take beds apart, spray the frame and springs. Spray all joints. Repeat as required.

Fleas: Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Remove old bedding and replace with fresh clean bedding after treatment.

TO KILL GARDEN PESTS: Carefully spray with slow sweeping motion keeping 30 cm to 45 cm away from the plants to avoid wetting the foliage. A light spray kills pests effectively. Spray only when air is still and temperature is under 32°C. Do not spray in direct sunlight – early morning or evening preferred. Use with caution on young plants and new growth. Insects must be hit by spray to be killed. Upper and lower leaf surfaces should be treated.

Sucking Insects: Exposed thrips, leaf-hoppers, spotted mites, lacebugs, aphids.

Chewing Insects: Caterpillars, climbing cutworms, Japanese beetles.

ON FLOWERS AND ORNAMENTALS: For insects on Asters, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladiolas, Irises, Marigolds, Petunias, Roses, and Snapdragons, evergreens, small deciduous trees, shrubs and vines.

ON VEGETABLES: For insects on cabbage, carrots, tomatoes, potatoes, broccoli, onions, cucumbers, turnip, lettuce, squash, fruit trees & grapevines.

NOTE: Do not spray fruits or vegetables within 3 days of picking. Wash fruit and vegetables before eating.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container, or store at temperatures over 50°C. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwellings, remove or cover all exposed foods and cooking utensils before spraying. Avoid contact with skin, eyes, clothing. Avoid inhalation of spray. Wash after using. Keep from freezing. Do not use on Maidenhair ferns.

FIRST AID: In case of contact with eyes or skin flush with water. If irritation persists, obtain medical attention. If accidentally swallowed, obtain medical attention or call Poison Control Centre at once. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, then dispose in household garbage.

Questions? Comments? Call 1-800-558-5566 or write Helen Johnson.
www.BugSmart.ca ®Can. Trade Mark Reg'd to S.C. Johnson & Son, Inc. Auth'd. user
S.C. JOHNSON AND SON, LIMITED, 1 Webster, Brantford, ON, Canada N3T 5R1
FOR SALE IN CANADA ONLY

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.