### 26-JAN-2001

### HOME GARDENER (R)

#### READY-TO-USE

#### WEEDEX®

# FOR YOUR LAWN WEED CONTROL

#### MANY VARIETIES OF BROADLEAF WEEDS

#### DOMESTIC

### READ THE LABEL BEFORE USING

# KEEP OUT OF REACH OF CHILDREN

GUARANTEE: 2,4-D 1.9 g/L Mecoprop 1.0 g/L Dicamba 0.18 g/L (All present as Amine Salts)

> REG. NO. 24383 P.C.P. ACT

HOME HARDWARE STORES LIMITED Paint & Home Products Division 6 Brian Drive, Box 250 Burford, Ontario NOE 1A0

NET CONTENTS: 1L / 2L

WEEDEX READY-TO-USE

## SHAKE WELL BEFORE USE

PRECAUTIONS: Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Keep out of reach of children. Protective Clothing: Wear long-sleeved shirt, long pants, socks and shoes.

OPERATOR USE PRECAUTIONS: Wash hands before eating, drinking, using tobacco or using the toilet. After treating, wash thoroughly. If pesticide penetrates clothing, remove immediately, then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before re-use.

GENERAL PRECAUTIONS: Do not use on Bent grasses or where clover is desired. Do not store near seed, fertilizer, insecticides or fungicides. Do not allow spray mist or vapours to contact any plants other than those being treated. Do not allow to freeze. Do not re-use empty containers. Rinse well and dispose in regular garbage.

Re-entry interval: Do not allow people (other than applicator) or pets, on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

DIRECTIONS: Stand close to the weed. No need to bend down. Wet the weed with one or two short bursts. Maximum application frequency: For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

WEEDS CONTROLLED: Dandelion, Plantain, Black Medick (yellow clover), Buttercup, Chickweed, Clover, English Daisy, Ground Ivy (Creeping Charlie), Knotweed (ironweed), Poison Ivy, Ragweed, Shepherd's Purse, Bedstraw, Heal-All, Devil's Paint Brush.

NOTE: Excessive wetting on grasses around weed may cause some injury.

FIRST AID: If in eyes rinse with water for 15 minutes. If on skin wash off with soap and water. If swallowed induce vomiting (use syrup of ipecac) and obtain medical attention or contact a poison control centre.

Take container, label or Product name and PCP Reg. No. with you when seeking medical attention.

\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.