

85.12.31

RIDDEX

INDUSTRIAL INSECTICIDE

GUARANTEE

PYRETHRINS	0.332%
PIPERONYL BUTOXIDE TECHNICAL	1.660%

REGISTRATION NUMBER 14507  
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEMSAN INC.  
P.O. BOX 727  
OAKVILLE, ONTARIO  
L6J 5C1

An insecticide formulated for use in electric foggers, aerosol generators, and thermal foggers as a space and contact spray for use in food processing and beverage plants, dairies, meat packing and processing plants, bakeries, flour mills, grain elevators, cereal processing plants, warehouses, industrial plants, restaurants, kitchens and cafeterias. Also for use in and apartments.

DIRECTIONS:

PREPARATIONS FOR SPRAYING AND FOGGING:

Evacuate area to be treated before fogging. Reduce air movement in area by closing doors, windows and ventilators and air conditioning. Extinguish all possible sources of ignition in area to be treated. Where applicable, remove food and food handling equipment to avoid contamination, or wash food and food handling equipment thoroughly after treatment. After fogging, keep area closed for 10 to 20 minutes. Ventilate before re-entering treated area.

CONTROL OF FLIES, MOTHS, MOSQUITOES, FRUIT FLIES, IN WAREHOUSES, INDUSTRIAL PLANTS, RESTAURANTS, KITCHENS AND CAFETERIAS:

Apply as a space spray using 150-200 mL of insecticide per 100 cu. meters of space. Repeat fogging treatment as necessary to maintain control. Sweep up and destroy dead insects.

CONTROL OF EXPOSED STAGES OF INDIAN MEAL MOTH, FLOUR AND GRAIN BEETLES, AND FLOUR AND GRAIN WEEVILS IN FLOUR MILLS, GRAIN ELEVATORS, CEREAL PROCESSING PLANTS AND BAKERIES:

Fumigate to clean up an existing infestation. Apply as a space spray at the rate of 150-200 mL of insecticides per 100 cubic meters of space to prevent infestation. Repeat fogging or spraying treatments as often as necessary to maintain control.

FOR CONTROL OF FRUIT FLIES, MOTHS, AND MOSQUITOES IN HOMES AND APARTMENTS:

Remove pets, birds and fish from area to be treated. Cover or remove aquaria for 1 hour. Apply as a space spray using an electrical fogger, using 150-200 mL of insecticide per 100 cu. meters of space. Avoid wetting walls, furnishings and finished surfaces. Repeat fogging treatments necessary to maintain control.

FOR CONTROL OF FLIES, MOTHS, MOSQUITOES, AND FRUIT FLIES, IN FOOD PROCESSING AND BEVERAGE PLANTS, MEAT PACKING AND PROCESSING PLANTS AND DAIRIES:

Apply as a space spray using 150-200 mL of insecticide per 100 cu. meters of space. Repeat fogging treatment as necessary to maintain control. Sweep up and destroy dead insects.

CAUTION:

In meat packing and food processing plants, only spray when plant is not in operation. No exposed food products, ingredients or packaging materials to be left in the room. Cover food handling equipment. Any treated surface that may contact meat food products or other food products, should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing.

CONTROL OF CLOTHES MOTHS IN GARMENT MANUFACTURING AND STORAGE AREAS:

Apply as a space spray at the rate of 100 to 200 mL of insecticide per 100 cubic meters of space, using an electric fog generator. Keep fogger at least 2 meters away from cloth or garments and do not fog directly on them so as to prevent staining. Repeat fog treatment as necessary to maintain control.

CONTROL OF HOUSEHOLD INSECTS IN HOMES, APARTMENTS, WAREHOUSES, INDUSTRIAL PLANTS, RESTAURANTS, KITCHENS AND CAFETERIAS:

Use insecticide in an electric fog generator or hand operated

mister, and apply as a direct contact spray hitting as many insects as possible.

#### COCKROACHES, SILVERFISH, CRICKETS AND SPIDERS:

Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards, and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat as necessary to maintain control.

#### ANTS:

Spray trails, nests and points of entry. Spray on ants wherever possible. Repeat as necessary to maintain control.

#### CARPET BEETLES:

Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat as necessary to maintain control.

#### WASPS AND HORNETS:

Spray directly on nests at night when insects are least active. Repeat as necessary to maintain control.

#### BEDBUGS:

Spray liberally mattress, beds, and infested areas, hitting as many insects as possible. Repeat as necessary to maintain control.

#### FLEAS:

Spray liberally pet sleeping quarters, bedding, and floor areas, hitting as many insects as possible. Do not spray pets. Remove pets from area to be treated before spraying. Repeat as necessary to maintain control.

#### PRECAUTIONS:

Keep out of reach of children. Harmful if swallowed, Avoid contact with skin and avoid inhalation of fog or spray. Do not contaminate food or food processing equipment. Thoroughly wash with potable water all treated food preparation surfaces and food processing equipment. Keep container closed and store away from heat sources. Prior to fogging, all possible sources of ignition should be extinguished in area to be treated. Do not re-use empty container. Destroy container by perforating or crushing and dispose of the container in garbage.

FIRST AID:

For external contact, wash with soap and water. If in eyes, flush with plenty of water. Get prompt medical attention. This product contains petroleum distillate. If swallowed do not induce vomiting. If patient is unconscious give him air. Get prompt medical attention.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))