

96.10.10

ULTRAFRESH DM-40

LIQUID GERMISTAT

INDUSTRIAL

GUARANTEE

Tri-n-butyltin methacrylate40.1%

POISON DANGER

CORROSIVE

READ THE LABEL BEFORE USING

THOMSON RESEARCH ASSOCIATES
A Division of KROY CHEMICALS LTD.
95 King Street East, Suite 100
Toronto, Ontario
M5C 1G4

Net Contents: Litres.

REGISTRATION NO. 12900

PEST CONTROL PRODUCTS ACT.

NOTICE TO USER

The control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS

For each specific use a trial is recommended in order to determine the best application level and method of addition for the particular product being treated.

FABRIC - ULTRAFRESH DM-40 can be padded onto fabrics from either an aqueous or solvent dispersion. This product is compatible with most water-repellents and can be applied from the same bath if desired. Sufficient ULTRAFRESH DM-40 should be added to the pad bath to give a fabric pick-up of 0.1% to 0.2%.

LEATHER - ULTRAFRESH DM-40 can be added to the liquor used for treating either brine-cured or pickled hides. This product can be co-applied with the chrome tan to pickled hides. ULTRAFRESH DM-40 level of 0.007% based on leather weight is sufficient to confer to the hides or leather an excellent resistance to microbiological degradation.

CASEIN - Casein suspensions can be rendered resistant to microbiological degradation by the addition of 0.03% of ULTRAFRESH DM- 40, based on casein powder weight.

WATER-BASED EMULSIONS - Latex emulsion paints, water-based adhesives and related aqueous emulsion systems can be rendered resistant to biologically induced instability and degradation by the addition of ULTRAFRESH DM-40. An application level of 0.04%, based on total emulsion weight, is recommended for this type of usage.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye and skin damage. May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water supplies.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. (Never give anything by mouth to an unconscious person).

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial

- requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

ULTRAFRESH is a trademark of Kroy Unshrinkable Wools Limited

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))