

93.03.29

NET CONTENTS  
10 LITRES

WILBUR-ELLIS  
IDEAS TO GROW WITH(R)

LINDANE 200E

INSECTICIDE  
LIQUID EMULSIFIABLE CONCENTRATE

COMMERCIAL

DANGER                      POISON

GUARANTEE:    Gamma BHC (from Lindane) 200 g/L

REGISTRATION NO. 14795 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

WILBUR-ELLIS COMPANY OF CANADA LIMITED  
555 Southgate Drive, Unit 101,  
Guelph, Ontario N1H 6J3

DIRECTIONS FOR USE:

SPRUCE, PINE & BALSAM FIR LOGS: For Pine Bark Beetles, Sawyer Beetles and Ambrosia Beetles (pin-hole borers), mix 2 litres in 100 litres of water. Cut logs should be sprayed to run-off during May or June. Ensure thorough coverage. Repeat treatment if necessary. DO NOT PUT LOGS INTO WATER WITHIN 6 WEEKS AFTER TREATMENT.

CHRISTMAS TREES (Scotch, Red & Austrian Pines): To control overwintering Cereal Leaf Beetle, mix 300 millilitres in 100 litres of water. Spray trees before cutting from two sides to the point of run-off, at a pressure of about 2000 kPa. A 2 metre tree requires approximately 2.25 litres of spray for good coverage.

INSPECTION: Before spraying trees for export to U.S.A., it is necessary to notify the Plant Quarantine Division of Agriculture Canada which will then supervise the spraying and issue a certificate.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Hazardous if swallowed, inhaled or absorbed through the skin. May cause irritation of the eyes and skin. After handling, wash thoroughly with soap and water before eating or smoking, and change to clean clothing. Do not apply or allow to drift to areas occupied by unprotected persons and animals, or to streams, lakes or ponds. Lindane is toxic to fish, birds and other wildlife. Avoid treating areas inhabited by wildlife.

FIRST AID: If swallowed, induce vomiting by touching the back of the throat with a finger or blunt object; repeat until vomit fluid is clear. Rush patient to nearest hospital taking this labelled container with you. In case of skin contact, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention.

TOXICOLOGICAL INFORMATION: Symptoms of poisoning are: nausea, vomiting, hyper-irritability, convulsions and/or coma, and other symptoms typical of organochlorine insecticide poisoning. Barbiturates may be given to control convulsions. Oxygen may be indicated. Keep patient quiet. Avoid use of morphine and adrenalin.

STORAGE: If this product is stored at temperatures below - 12°C, crystals will form which will dissolve again when the temperature is brought up to 0°C.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Conservation and Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))