85.12.31

COMMERCIAL

BUTO-PIP

HEAVY DUTY FOOD PLANT INSECTICIDE

READY TO USE SPRAY

FOR USE IN FOOD AREAS, BAKERIES, MEAT PACKING PLANTS, FLOUR MILLS, WAREHOUSES AND WHEREVER FOOD IS STORED OR PROCESSED.

GUARANTEE:

PYRETHRINS.0.101%PIPERONAL BUTOXIDE.0.203%N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE.0.336%

PRECAUTION

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

REGISTRATION NUMBER 18934 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET CONTENTS

MADE IN CANADA

EMPIRE INTERNATIONAL BOX 695, STREETSVILLE P.S. MISSISSAUGA, ONTARIO L5M 2C2

ATLANTA, GEORGIA, SAN FRANCISCO, CALIFORNIA SAN JUAN, PUERTO RICO; SINGAPORE

DIRECTIONS FOR USE

FOOD PROCESSING PLANTS, FOOD SERVICE ESTABLISHMENTS, FOOD STORAGE AREAS, FOOD TRANSPORTATION VEHICLES, DAIRIES AND BAKERIES.

To control flour beetles, confused flour beetles, weevils, cadelle, flour moth in accessible stages- SURFACE SPRAY: Using a Porta Spray, direct spray onto floors, walls, moist areas, harbourage areas, under pallets, around containers of stored food, around the base of machinery, behind shelves and drawers and on and around insect entry areas. Use 5 L/100 sq. metres. Spray directly on insects if possible. Insects must be contacted to be killed. Repeat as necessary. NOTE: Remove or cover exposed foods, cooking utensils before spraying. After spraying, clean surfaces which may contact food.

To control drosophila, flies, gnats, and mosquitoes- SPACE SPRAY: Close doors, windows and ventilation. Using Micromister II, spray upwards to fill the room, especially windows and other light sources, with a fine mist. Use 100-200 mL / cu. metres. Leave the room closed for 10-15 minutes before ventilating. Do not remain in treated areas. Spray only when temperature is under 32 'C.

To control ants, cockroaches, crickets, silverfish and spiders-CONTACT SPRAY: Using a Porta Spray, direct spray into cracks and crevices where insects hide. Hit insects directly if possible. Insects must be contacted to be killed.

PRECAUTIONS:

Flammable mixture. Product contains petroleum distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling. Do not contaminate feed, water or food stuffs. In food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces, packaging materials and utensils and thoroughly clean with potable water before resuming operations. Do not use in milk processing plants or milk parlours.

In meat packing and food processing plants, only spray when plant is not in operation. No exposed meat products, ingredients or packaging materials to be left in room and cover food handling equipment. Any treated surfaces that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing

KEEP OUT OF REACH OF CHILDREN. Do not use near birds, fish or

pets.

Do not spray on plastic or varnished surfaces. Do not spray closer than 1 m to fabric.

DISPOSAL: Dispose of empty container in regular garbage.

FIRST AID: Product contains petroleum distillate. If swallowed, do not induce vomiting. Obtain medical attention immediately. If in eyes, flush with plenty of water. If on skin wash with soap and water. If irritation persists, obtain medical attention.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FOR INDUSTRIAL USE ONLY NOT FOR RESALE

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))