

2000/2005

2,4-D AMINE 600

LIQUID HERBICIDE

10 LITRES

For control of:

Susceptible Broadleaf Weeds and Susceptible Woody Growth on roadsides, rights of way, fencelines, etc.

READ THE LABEL BEFORE USING

GUARANTEE

2,4-D 560*g/L (Present as Amine)

*Isomer Specific Analysis

COMMERCIAL

REGISTRATION NO. 11574
PEST CONTROL PRODUCTS ACT

WARNING

POISON

Interprovincial Cooperative Limited
P.O. Box 1050, Saskatoon, Saskatchewan S7K 3M9

2,4-D AMINE 600

PRECAUTIONS

Handling Precautions: KEEP OUT OF REACH OF CHILDREN. May cause skin irritation. Do not take internally and avoid contact with eyes, skin or clothing. **Protective Clothing and Equipment: Handling the concentrate (mixing and loading):** Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes, and protective eye wear (face shield or safety glasses). Rinse gloves before removal. Coveralls or a chemical-resistant apron should also be worn when open pouring from container into spray tank. **Handling the dilute spray solution(during application or repairing or cleaning equipment):** Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes. Rinse gloves before removal. Gloves are not required during

application when applicator is in an enclosed tractor or in an enclosed truck cab.

Operator Use Precautions:

- C Wear freshly laundered clothing and clean protective equipment daily.
- C Rinse gloves before removal.
- C Wash hands before eating, drinking, using tobacco or using the toilet.
- C If herbicide penetrates clothing remove immediately; then wash thoroughly and put on clean clothing. Throw away clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate.
- C After using this product, remove clothing and launder separately, and promptly and thoroughly wash hands and exposed skin with soap and water. Follow manufacturer's instructions for cleaning personal protective clothing and equipment. If no such instructions are provided for washables, use detergent and hot water. Keep and wash personal protective equipment separate from household laundry.
- C After work, remove all clothing and shower using soap and water.

General Precautions: Do not use near beneficial or desirable plants where drift of spray may occur. Do not spray in high winds. Do not contaminate water in irrigation ditches. Do not use on lawns. Do not store near fertilizers, seed, insecticide or fungicides. Wash out sprayer thoroughly after using. Re-use of the container is not recommended.

DIRECTIONS

FOLIAGE TREATMENT OF WOODY SPECIES

Use 3.75 - 5.50 litres (2.25 - 3.25 kg acid equivalent) of 2,4-D Amine 600 in 100 litres of water per hectare. **Mechanical Transfer System:** For containers larger than 20L use a direct transfer system that avoids open pouring when transferring the liquid concentrate from such containers into the spray tank. Wet foliage thoroughly. Cut off brush or trees over two metres and spray regrowth.

DO NOT APPLY BY AIR. Calculating the number of hectares covered in Roadside Spraying

The number of hectares covered will depend on the width of the roadside. The distance from the edge of the road to the fence bottom should be measured.

Width of Road (from edge of road to fence)	Hectares (per kilometre of road including both sides)
5 metres	1 hectare
7.5 metres	1.5 hectare
10 metres	2 hectares

Calculating the Amount of 2,4-D Amine 600 needed

1. CALCULATING NUMBER OF HECTARES:

ie: Amount of road.....100 kilometres
 Width to edge of fencing.....5 metres
 (10 metres including both sides of the road)
 No. of hectares in 100 km spraying 5 metres on each side
 of the road

100 km = (1,000 x 100) metres
 = 100,000 metres x 10 metres wide (2 x 5 metres)
 = 1,000,000 square metres

No. Hectares 1,000,000 sq.m
 10,000 sq. m per hectare = 100 hectares

2. AMOUNT OF 2,4-D Amine 600 TO TREAT 100 HECTARES:

ie: Rate selected 5.5 litres per hectare of 2,4-D Amine 600.
 Total amount required = 5.5 litres x 100 = 550 litres.

The number of hectares for any width of road and the amount of 2,4-D Amine 600 for each rate can be calculated.

PRE-HARVEST INTERVALS

1. Do not permit lactating dairy animals to graze fields within 7 days after application.
2. Do not harvest forage or cut hay within 30 days after application.
3. Withdraw meat animals from treated fields at least 3 days before slaughter.

FIRST AID

If on skin, wash with plenty of soap and water. If in eyes, flush

with plenty of water for at least 15 minutes and get medical attention. If swallowed, induce vomiting, then take patient to nearest hospital or Doctor's office. Take the pesticide label with you.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on this label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))