

15-FEB-2000

CAN-VET

ANIMAL HEALTH SUPPLIES LTD.

RESIDUAL FLY KILL

FOR WALL AND CEILING-INSECTICIDE

CONTAINS PERMETHRINS AND PYRETHRINS

AGRICULTURAL

READ THE LABEL BEFORE USING

READY TO USE

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 23391

PEST CONTROL PRODUCTS ACT

GUARANTEE:

PERMETHRIN.....	0.1%
PYRETHRIN.....	0.1%
PIPERONYL BUTOXIDE	1.0%

CONTENTS 4L

CAN-VET ANIMAL HEALTH SUPPLIES LTD.
292 ELGIN STREET, N. UNIT # 3
CAMBRIDGE, ONTARIO
N1R 7H9

CAN-VET RESIDUAL FLY-KILL - FOR WALLS AND CEILINGS

DIRECTIONS FOR USE:

Residual premise spray for milking parlours and holding rooms, Poultry houses, stables, swine and livestock housing. To control house flies and stable flies.

Shut of all sources of ignition and do not store or use near open

flame. Wear mask or respirator and protective clothing. Do not use in dwellings. Remove animals and poultry from building prior to spraying. Do not contaminate feed and foodstuffs, water, litter and feed trays. Ventilate and keep animals out of sprayed areas for at least 30 minutes after treatment. Spray only when temperature is under 32 'C. Apply Can-Vet Residual Fly Kill to walls ceilings and all fly resting areas at the rate of 2 L per 100 sq. m of structural surface. Repeat treatment as necessary. Do not apply as a space spray. Do not apply directly to animals or poultry. In dairies, apply only when not in operation. Thoroughly clean all milk utensils before resuming operations.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not breathe spray mist. Wash contaminated clothing before re-use. Do not contaminate feed, food or water. Contents toxic to fish and birds. Store in original container away from feed and food. Use only when milk room is not in operation. Cover or remove all milk and milking implements before spraying. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations. Do not use in areas where beekeeping equipment or supplies are stored, or where milk is stored or processed.

DISPOSAL: Do not re-use container Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, and for clean-up of spills, contact the regional office of Conservation and Protection, Environment Canada.

FIRST AID: If on skin, wash thoroughly with soap and water. If in eyes flush with clear water for 15 minutes; get medical attention. If swallowed do not induce vomiting. Call physician immediately.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))